

# The SBF Survey of Galaxy Distances. IV. SBF Magnitudes, Colors, and Distances<sup>1</sup>

John L. Tonry<sup>2</sup>

*Institute for Astronomy, University of Hawaii, Honolulu, HI 96822*

*Electronic mail: jt@ifa.hawaii.edu*

Alan Dressler

*Carnegie Observatories, 813 Santa Barbara St., Pasadena, CA 91101*

John P. Blakeslee<sup>3</sup>

*Dept. of Physics, University of Durham, South Road, Durham, DH1 3LE, United Kingdom*

Edward A. Ajhar<sup>2</sup>

*Kitt Peak National Observatory, National Optical Astronomy Observatories, P. O. Box 26732,  
Tucson, AZ 85726*

André B. Fletcher

*MIT Haystack Observatory, Off Route 40, Westford, MA 01886*

Gerard A. Luppino

*Institute for Astronomy, University of Hawaii, Honolulu, HI 96822*

Mark R. Metzger

*Caltech Astronomy Dept, MS 105-24, Pasadena, CA 91125*

Christopher B. Moore

*Harvard-Smithsonian Center for Astrophysics, 60 Garden St., Cambridge, MA 02140*

---

<sup>1</sup>Observations in part from the Michigan-Dartmouth-MIT (MDM) Observatory.

<sup>2</sup>Guest observers at the Cerro Tololo Inter-American Observatory and the Kitt Peak National Observatory, National Optical Astronomy Observatories, which are operated by AURA, Inc., under cooperative agreement with the National Science Foundation.

<sup>3</sup>Current address: Department of Physics and Astronomy, Johns Hopkins University, Baltimore, MD 21218

## ABSTRACT

We report data for  $I$  band Surface Brightness Fluctuation (SBF) magnitudes,  $(V-I)$  colors, and distance moduli for 300 galaxies. The Survey contains E, S0 and early-type spiral galaxies in the proportions of 49:42:9, and is essentially complete for E galaxies to Hubble velocities of  $2000 \text{ km s}^{-1}$ , with a substantial sampling of E galaxies out to  $4000 \text{ km s}^{-1}$ . The median error in distance modulus is 0.22 mag.

We also present two new results from the Survey. (1) We compare the mean peculiar flow velocity (bulk flow) implied by our distances with predictions of typical cold dark matter transfer functions as a function of scale, and find very good agreement with cold, dark matter cosmologies if the transfer function scale parameter  $\Gamma$ , and the power spectrum normalization  $\sigma_8$  are related by  $\sigma_8 \Gamma^{-0.5} \approx 2 \pm 0.5$ . Derived directly from velocities, this result is independent of the distribution of galaxies or models for biasing. The modest bulk flow contradicts reports of large-scale, large-amplitude flows in the  $\sim 200 \text{ Mpc}$  diameter volume surrounding our Survey volume. (2) We present a distance-independent measure of absolute galaxy luminosity,  $\overline{N}$ , and show how it correlates with galaxy properties such as color and velocity dispersion, demonstrating its utility for measuring galaxy distances through large and unknown extinction.

*Subject headings:* galaxies: distances and redshifts — galaxies: clusters: individual (Virgo, Centaurus) — cosmology: distance scale — cosmology: large-scale structure of universe

## 1. Introduction: A Brief History of SBF

The *I*-band Surface Brightness Fluctuation (SBF) Survey was undertaken to measure accurate distances to nearby galaxies in the expectation of tying Cepheid distances to the far-field Hubble flow and substantially improving our knowledge of the local velocity field. The Survey was inaugurated with the work of Tonry, Ajhar, & Luppino (1990), who measured *VRI* SBF magnitudes with the Kitt Peak 4m telescope for 14 early-type galaxies, mostly members of the Virgo cluster. Tonry (1991) followed with the first fully empirical, though provisional, calibration of the method, based on the Cepheid distance to M31 and the color dependence of the *I*-band SBF magnitude  $\overline{m}_I$  for Fornax cluster galaxies observed with the 4m telescope at Cerro Tololo. The data collection has spanned a decade now, with most of the recent northern data coming from the MDM 2.4m on Kitt Peak and the southern data coming from the Las Campanas 2.5m. A recent review of SBF can be found in Blakeslee, Ajhar, & Tonry (1999).

The present series of papers began with Tonry et al. (1997, hereafter SBF-I), which detailed how the SBF survey data from different telescopes and observing runs were intercompared and brought into a homogeneous system, and how error estimates were derived. In SBF-I, a new *I*-band calibration with a significantly different zero point was presented, and various methods were used to tie to the far-field Hubble flow in order to derive the Hubble constant. Tonry et al. (2000, SBF-II) used the SBF survey data to construct a parametric flow model which included infall into the Virgo and the Great Attractors, a residual quadrupole, an overall dipole (bulk flow of the sample), the cosmic thermal velocity dispersion, and the Hubble constant, all as free parameters. SBF-II also revised the zero point by using the latest Cepheid distances tabulated by Ferrarese et al. (2000) and the new DIRBE/IRAS Galactic extinction estimates from

Schlegel, Finkbeiner, & Davis (1998). Blakeslee et al. (1999, SBF-III) used the same data set to compare the measured SBF peculiar velocities to predictions that derived from the galaxy density field measured by flux-limited redshift surveys, under the assumption that light traces mass with a linear biasing prescription. This comparison yielded values for both the Hubble constant and  $\beta \equiv \Omega^{0.6}/b$ , where  $\Omega$  is the matter density and  $b$  is the linear bias of the observed galaxies.

In addition to the *I*-band ground-based survey, there have been a number of recent SBF efforts in the F814W filter of WFPC2 on the Hubble Space Telescope (HST). Ajhar et al. (1997) gave the initial calibration of the method for this filter. Lauer et al. (1998) measured SBF distances to four brightest cluster ellipticals at distances of  $\sim 5000 \text{ km s}^{-1}$ , and Pahre et al. (1999) measured the distance to NGC 4373 in the Hydra-Centaurus supercluster.

Recently, SBF measurements in near-infrared bandpasses have been added. Jensen, Luppino, & Tonry (1998a, 1998b) measured *K*-band SBF distances to galaxies in the Virgo, Fornax, Eridanus, Centaurus, and Coma clusters. Another HST study (Jensen et al. 2000, in preparation) calibrates the F160W near-infrared NICMOS filter for use with SBF and samples the Hubble flow out to  $10,000 \text{ km s}^{-1}$ . The use of SBF in stellar population synthesis has received renewed interest of late (e.g. Liu, Charlot, & Graham 2000; Blakeslee, Vazdekis, & Ajhar 2000), both as a means for probing stellar populations and as an independent check of the Cepheid distance scale. These efforts underscore the importance of a solid empirical calibration of the method.

In this paper, we present and discuss the data from our *I*-band SBF distance survey and present two new results based on these data.

## 2. The Galaxy Sample

Because it was our intent to make this survey as homogeneous as possible our observations

span the entire sky, except for incomplete sampling of the zone of avoidance. It is difficult to make a really quantitative statement of our selection function, because SBF observability depends strongly on the atmospheric seeing, and we were quite limited by the availability of telescope time at the many facilities that were used to conduct this study. However, as a guide, we can compare with the RC3: Figure 1 shows how the cumulative counts rise with redshift in the SBF sample and the RC3. These are counts of galaxies with  $B_T \leq 12.5$ , which includes about 63% of the galaxies in the SBF survey. We are nearly complete in E galaxies to a Hubble velocity of  $2000 \text{ km s}^{-1}$  and have sampled a very substantial fraction even to  $4000 \text{ km s}^{-1}$ . The higher incompleteness for S0's compared to E's reflects both the added difficulty of adequate modeling of disk + bulge for some S0 galaxies and the fact that we chose not to observe many of the S0's in groups where we already had distances to elliptical galaxies. We have succeeded in measuring SBF magnitudes in only a few spiral galaxies, mostly ones with large, smooth bulges, and they are mostly at nearby distances where Cepheid observations are possible.

Figure 2 displays the distribution of galaxies in reddening-corrected  $(V-I)$  color. The colors used here (those in Table 1) are derived from the regions of the galaxies in which the SBF analyses were performed. Overall, the mean color is  $\langle V-I \rangle_0 = 1.145$  and the rms dispersion is  $0.06 \text{ mag}$ . The ellipticals follow a more or less Gaussian color distribution centered at  $(V-I)_0 = 1.165$  with a dispersion of only  $0.04 \text{ mag}$ . The blue tail extending to  $(V-I) < 1.0$  is comprised mainly of S0 galaxies.

### 3. Calibration Issues

We described in SBF-I how we brought all of the photometry onto a common system and how we validated our error estimates for  $(V-I)$  and  $\bar{m}_I$  through multiple observations. Groups of galaxies were used to establish the slope of the




Fig. 1.— The cumulative counts of galaxies with  $B_T \leq 12.5$  are shown for the RC3 (upper curves) and the SBF survey (lower curves). The three sets of curves show counts of E, S0, and Sa and Sb spiral galaxies with  $T \leq 3$ .

$\bar{m}_I(V-I)$  relationship, and we compared the relative group distances with those from other distance estimators to demonstrate the apparent universality of the  $\bar{m}_I(V-I)$  relationship. By comparison with the extant Cepheid distances we also chose a zero point for the  $\bar{M}_I(V-I)$  relation and reported that the relations for ellipticals, S0 galaxies and spiral bulges are indistinguishable with the present data.

In SBF-II, we described our switch from the older Burstein & Heiles (1984) H I-derived extinction estimates to the new Schlegel, Finkbeiner, & Davis (1998, hereafter SFD) extinctions based on the DIRBE/IRAS maps. The SFD values are preferable because of their greater homogeneity over the sky and greater angular resolution, and they are probably more accurate (see SFD). The change affects our reductions of both  $\bar{m}_I$  and  $(V-I)$  to extinction-free values. Despite an overall shift in  $E(B-V)$  of nearly  $0.02 \text{ mag}$ , there was little change to the distance estimates for most galaxies because our zero point also comes from galaxies with revised extinction estimates. Nevertheless, these values for  $\bar{m}_I$  and  $(V-I)$  should *not* be mixed with previously published




Fig. 2.— The  $(V-I)$  distribution of SBF survey galaxies, represented by the shaded histogram. The dashed curve shows for comparison a Gaussian of mean  $(V-I) = 1.16$  and dispersion  $0.04$  mag.

data without due attention to the differing assumptions about extinction.

The zero point for the  $\overline{M}_I-(V-I)$  relation continues to be a work in progress, unfortunately, as we discuss in detail in SBF-II. While there is concurrence that the slope of the  $\overline{M}_I-(V-I)$  relation derived in SBF-I is accurate, uncertainty in the zero point remains at the  $0.1$  mag level. Essentially, the SBF zero point can be calibrated using Cepheid distances or theory. The Cepheid distances can be applied to SBF measurements either galaxy by galaxy or through group association of galaxies with Cepheid distances to other galaxies with SBF distances. SBF-II adopted the former approach and derived

$$\overline{M}_I = -1.74 \pm 0.08 + (4.5 \pm 0.25)[(V-I)_0 - 1.15] \quad (1)$$

using the HST Key Project Cepheid distances (Ferrarese et al. 2000). The validity of this equation has been tested for colors in the range of  $0.95 < (V-I)_0 < 1.30$ . Our zero point is based on the median value for six spirals with both Cepheid and SBF measurements; using a similar approach and a weighted average, Ferrarese

et al. (2000) derived a zero point of  $-1.79 \pm 0.09$ .

The uncertainty in the SBF zero-point is illustrated by comparing these values to the result of the group-association method. As we discuss in SBF-II, using a group association between Cepheid-bearing spirals and early-type galaxies with SBF measurements results in a significant change in the zero point to  $-1.61 \pm 0.03$ . The fainter group-based calibration points to either systematically brighter SBF magnitudes for spiral bulges or, as found by Kelson et al. (2000) in the context of the fundamental plane calibration, a systematic offset for the Key Project spirals to lie in front of the ellipticals in the same groups. Additional data will be needed to resolve the cause of this discrepancy and thereby firm up the SBF calibration.

We emphasize that the error bars given here do *not* include the systematic uncertainty in the Cepheid zero point, estimated by Mould et al. (2000) to be  $\pm 0.16$  mag, which allows for  $\pm 0.13$  mag of uncertainty in the adopted LMC distance modulus of  $18.50$  mag. This uncertainty should be taken seriously, since the distance to the LMC remains controversial. At the time of this writing, Freedman et al. (2000) are preparing a major revision in the Cepheid distance scale based on a reassessment of the LMC distance from seven independent means, an improved PL relation based on the new, large sample of LMC Cepheids from the OGLE Project, and a small metallicity dependence for the PL relation. Application of these new Cepheid distances to our six calibrating galaxies will make our SBF calibration fainter by  $\sim 0.1$  mag with a corresponding rise in the Hubble constant of about 5%.

A final example of the continuing uncertainty in the SBF calibration comes from its derivation purely from stellar evolution theory and population synthesis. Worthey (1993a, 1993b, 1994) was the first to accurately reproduce the empirical slope of the  $\overline{M}_I-(V-I)$  relation; these models gave a theoretical zero point of  $-1.81$  (see SBF-I), consistent with the value in eq. (1)

from the Cepheid calibration. Liu et al. (2000) use an updated version of the Bruzual & Charlot (1993) models with the isochrones of Bertelli et al. (1994) and find a similar  $I$ -band zero point value of  $-1.79$ . These authors revised the AGB evolution in their models because the original Bruzual & Charlot AGB prescription gave a  $\overline{M}_I$  zero point significantly fainter than the empirical result. The uncertainty in modeling the AGB is a lingering problem for the theoretical derivation of the  $I$ -band zero point and will be an even bigger problem for the  $K$  band. Indeed, a fully independent re-derivation by Blakeslee et al. (2000) using new models based on the latest isochrones from the Padua group (Girardi et al. 2000) and empirical color-temperature transformations has yielded a value that is significantly different. They reproduce the observed fluctuation colors well and also match the empirical  $I$ -band slope, but find a zero point of  $-1.47$ , i.e.,  $0.27$  mag brighter than in eq. (1). The discrepancy drops to  $0.14$  mag for the SBF-II group calibration, and then would essentially disappear for the revised Key Project Cepheid scale referred to above. As Blakeslee et al. discuss, the theoretical uncertainty also reflects a moderate sensitivity to the uncertain details of stellar evolution, for example, the distribution and lifetimes of stars on the red giant branch.

Although we look forward to advances in stellar evolution theory that will allow a robust theoretical SBF zero point, this is not likely to happen soon. For now, the empirical zero point appears more reliable.

#### 4. The Data

Table 1 presents colors, fluctuation magnitudes, and distance moduli of the galaxies in the SBF sample. The columns are (1) galaxy name; (2) right ascension (J2000) from the RC3; (3) declination (J2000); (4) redshift ( $\text{km s}^{-1}$ , CMB reference frame); (5) morphological  $T$  type; (6) group number as defined by the Faber et al. (1989 7S); (7)  $B$  band extinction adopted from

SFD; (8)  $(V-I)$  color measured at radii indicated in column 11, error, and number of contributing measurements; (9)  $I$  band fluctuation magnitude, error, and number of contributing measurements; (10) distance modulus using eq. (1) for  $\overline{M}_I$  as a function of  $(V-I)$ , including all sources of error except systematic error in the zero point; (11) mean annular radius (arcsec) contributing to the SBF measurement, ratio of the innermost contributing radius to the mean, and ratio of the outermost contributing radius to the mean; (12) observation quality, as defined in SBF-II:  $Q = \log_2[N_e(\overline{m})/\text{PD}^2]$ , where  $N_e(\overline{m})$  is the number of electrons that would be detected in the image from an object of magnitude  $\overline{m}$ , and PD is the product of the full-width at half-maximum of the point spread function (PSF) in arcseconds and the CMB frame velocity in units of  $1000 \text{ km s}^{-1}$  (so  $\text{PD}^2$  is proportional to the metric area within a resolution element); (13) “PD” value defined above; and (14)  $\overline{N}_I$ , discussed below. Note that the seeing (in arcseconds) of the observation can be derived as PD divided by the CMB velocity in units of  $1000 \text{ km s}^{-1}$ , except that galaxies within  $3^\circ$  of NGC 4486 and with heliocentric velocity less than  $2400 \text{ km s}^{-1}$  were assigned a PD velocity of  $1350 \text{ km s}^{-1}$ , galaxies within  $2^\circ$  of NGC 4709 and with heliocentric velocity between  $3800$  and  $4800 \text{ km s}^{-1}$  were assigned a PD velocity of  $3100 \text{ km s}^{-1}$ , and other galaxies with a negative redshift were assigned a velocity of  $10 \text{ km s}^{-1}$ .

Table 2 adds a few galaxies whose distances are potentially biased either because the seeing was poor for the distance ( $\text{PD} > 2.7$ ) or the quality was poor ( $Q < 0$ ). These observations were deemed unacceptable for use in SBF-II, but we include them here despite the potential for bias they do provide at least crude distances and because the photometry is good. (The data of Table 2 might also be useful to further study of the degree of bias present in this data set.) We also include NGC 3413 in this table because it is a very dusty galaxy and its color is significantly bluer

than our empirical calibration allows. NGC 4627 has likewise been relegated to this table for being too blue. We still lack adequate photometry to provide colors for NGC 1331, NGC 3522, and IC 5269. The columns in this table are the same as with Table 1. We stress that these data should be used with caution and should not be mixed with the observations from Table 1.

Tables 1 and 2 are available in digital form from <http://www.ifa.hawaii.edu/~jt/SBF> in table.good and table.poor.

Table 3 gives values for  $\overline{m}$  in different bandpasses. The columns are mostly self explanatory, but the second column lists the mean radius (in arcsec) where the fluctuation magnitudes and colors were measured in NGC 205. These data come from a single observing run (M0893; see SBF-I for details), and although they are subjected to the same calibration as the other data, some of the  $\overline{m}_I$  will not be identical to Table 1. We hope, however, that the internal consistency of these data will be better than by using the average  $\overline{m}_I$  from Table 1 and therefore the fluctuation colors will be more accurate. Note that these data make it obvious that NGC 404 is not a member of the Local Group, but lies at a distance of about 3 Mpc.

Table 4 gives “group average” distances for the galaxy defined in SBF-I. In particular, the membership criteria are based on position on the sky and redshift, not necessarily the group assignment made by the 7S, although we give the group number defined by the 7S that most closely corresponds to the SBF groups. The distance errors do not take any account of the extent of the group, hence are probably unrealistically small. It would now probably be appropriate to select the groups with some knowledge of the SBF distances (this would have been circular in SBF-I); what we present here is only meant as a rough guide to group properties. More precise group distances can be derived from better group definitions and from Table 1.

## 5. The Local Velocity Field

Using the data just presented, we made a first effort to extract the peculiar velocities in SBF-II (where we fit a parametrized model) and SBF-III (where we match the flow field inferred from IRAS galaxy counts). The important results from those papers are that we prefer the value for  $H_0$  of  $74 \pm 4$  from SBF-III (but dependent on the Cepheid zero point as described above). We find in SBF-III that  $\beta_I = \Omega^{0.6}/b_I = 0.42$  for the IRAS 1.2 Jy survey (Fisher et al. 1995), and  $\beta_O = 0.26$  for the “Optical Redshift Survey” (Santiago et al. 1995), which is consistent with  $b_{IRAS} = 1$ ,  $b_{opt} = 1.6$ , and  $\Omega_M = 0.25 \pm 0.05$ .

Because of the interest over the last five years in even larger flows on very large scales (e.g., Lauer & Postman 1994; Hudson et al. 1999; Willick 1999), we wish to expand here on the result in SBF-II which contradicts these claims. Basically, the evidence is that, according to our SBF model, the major part of the CMB dipole is generated within a volume  $V \lesssim 5000 \text{ km s}^{-1}$ . This means that to accept the existence of these larger bulk flows in a volume that is much larger than this (but includes it) is to find that our subvolume is basically at rest with respect to the CMB while material around that volume is, on average moving with a high velocity ( $\gtrsim 600 \text{ km s}^{-1}$ ). This situation implies an improbable, if not impossible, spectrum of initial fluctuations, very different from the scale-free power spectrum that underlies cold-dark-matter (CDM) models.

In contrast, our measure of the bulk flow as a function of scale within our SBF Survey volume is in good agreement with theoretical predictions of typical cold-dark-matter (CDM) models based on a scale-free power spectrum, as we now show. The “SBF-II model” gives us a smooth measure of mean velocity and velocity dispersion throughout the survey volume, which is valid within  $|SGX|, |SGY| < 50 \text{ Mpc}$ , and  $|SGZ| < 25 \text{ Mpc}$ . Figure 3 illustrates how well a




Fig. 3.— The bulk flow observed and predicted in top-hat spheres of radius  $R$  is shown for typical CDM models of the power spectrum (curves), a simulated universe with a  $\Gamma = 0.21, \sigma_8 = 0.94$  CDM power spectrum (large open points), and for the SBF-II observations (circles for SBF-II model, diamonds for Willick and Batra variant). The simulated universe encompasses many volumes equal to that of the SBF-II survey, and the rms variation in bulk flow seen from volume to volume is shown as error bars on the open points. Note that the radius is expressed in terms of  $h^{-1}$  Mpc for consistency with what is normally found in the literature. The rollover in the data points at  $R < 10h^{-1}$  Mpc is caused by the limited spatial resolution of the SBF-II model.

typical CDM power spectrum matches the mean bulk flows of these data.

The points are generated by computing the SBF-II model velocity with respect to the CMB, averaged over cubes of varying size. The RMS of all the cubes within the survey volume gives us a bulk flow on that scale. We assign an effective spherical radius to the cube size by matching the volume of the sphere to that of the cube. The rolloff in the bulk flow data points at  $R < 10h^{-1}$  Mpc is inherent in the parametrized model.

Willick and Batra (2000) have recently reexamined the SBF survey data and compared the

peculiar velocities with those expected from the IRAS density distribution. In addition, they redetermined parameters for the SBF-II model, and the bulk flows from the Willick and Batra model are also shown in Figure 3 to give a sense of the uncertainty inherent in the interpolation of the SBF peculiar velocities by this parametric model.

For comparison we also plot curves showing the bulk flow expected from a typical CDM power spectrum, using the parametrization of Bardeen et al. (1986) of the CDM transfer function and a flat cosmology with  $\Omega_M = 0.3, \Omega_\Lambda = 0.7$ . These transfer functions require a spatial scale parameter  $\Gamma \sim \Omega_M h$  and a normalization which is commonly supplied by  $\sigma_8$ , the rms mass fluctuation between spherical volumes of radius  $8h^{-1}$  Mpc. We find that typical shape parameters of  $\Gamma = 0.16, 0.21$ , and  $0.26$ , and corresponding normalizations of  $\sigma_8 = 0.83, 0.94$ , and  $1.05$  match these observations of bulk flows very well.

We find negligible difference whether we use a cube window function or a top-hat, with side and radius related as above. To demonstrate this we show in Figure 3 open points which come from a numerical simulation of a universe with the  $\Gamma = 0.21$  and  $\sigma_8 = 0.94$  CDM power spectrum and random phases. The bulk flows in this simulation were computed in disjoint cubes precisely in the same way as the data were treated (with the same assignment of top-hat radii). Since the simulated universe encompassed a volume which was 8192 times as large as the SBF survey volume, it was also possible to assess the cosmic variance in bulk flow expected when velocity is measured within the finite SBF survey volume. This RMS variation, represented by the error bars on the simulation points in Figure 3, demonstrates that it will not be easy to put stringent limits on the CDM transfer function shape parameter  $\Gamma$  or normalization  $\sigma_8$  individually, but that the combination  $\sigma_8 \Gamma^{-0.5}$  is fairly well constrained at  $\sigma_8 \Gamma^{-0.5} \approx 2 \pm 0.5$ . This combination comes from the constraint these data



place on the slope of the power spectrum between  $k \sim 0.2h \text{ Mpc}^{-1}$ , which contributes to  $\sigma_8$ , and  $k \sim 0.04h \text{ Mpc}^{-1}$  which contributes to bulk flows. The (one sigma) error bar is dominated by the cosmic variance expected in the rather small SBF survey volume. The value of this measurement, of course, is that it is directly sensitive to the mass fluctuations on scales of  $50\text{-}200h^{-1} \text{ Mpc}$  without any recourse to galaxy distribution or bias models.

In summary, the data of the SBF Survey seem completely compatible with conventional models of the formation of large scale structure, in contrast to the implications of even larger scale flows that have been reported.

## 6. Distance Independent Absolute Luminosities: $\overline{N}$

Developing more accurate ways of measuring absolute luminosity for galaxies that is independent of distance is obviously important for a wide range of astronomical issues. SBF is another, we believe, major step in that program. In the course of this study we have investigated a further parameterization which is, in addition, independent of photometric calibration or extinction as well. This measure of the absolute luminosity comes from the ratio of the total apparent flux from the galaxy and the flux provided by the fluctuation signal. We express this in terms of magnitudes as the difference between the fluctuation magnitude and the total magnitude of the galaxy:

$$\overline{N} = \overline{m} - m_T. \quad (2)$$

We call  $\overline{N}$  the “fluctuation star count:” it amounts to  $+2.5 \log_{10}$  of the total luminosity of the galaxy in units of the luminosity of a typical giant star.

We give values for  $\overline{N}$  in the last columns of Tables 1 and 2. The total magnitudes were derived from the SBF survey photometry. A program written by B. Barris fitted a modified Seric model (i.e.,  $\exp(-r^{1/n})$ ) and a sky offset to the azimuthally averaged profile (after removal




Fig. 4.— The  $(V-I)$  color of SBF galaxies is shown as a function of  $\overline{N}$ .

of stars and companion galaxies). The extrapolation to infinity was converted to a total apparent magnitude. The difference between this total magnitude and the fluctuation magnitude yields  $\overline{N}$ . As is well known, this extrapolation can be quite uncertain because of the great extent of galaxies at low surface brightness; probably for this reason there are occasionally significant discrepancies between our total magnitudes in the  $I$  band and  $B_T$  values from the RC3 (which generally are derived forcing  $n$  to be 4). Therefore, we urge care in use of values of  $I_T$  recovered from the values we give for  $\overline{N}$ .

Not surprisingly, this absolute luminosity correlates with color; Figure 4 shows the dependence of  $(V-I)$  on  $\overline{N}$ . This correlation is approximated by

$$(V-I) = 0.50 + 0.032\overline{N} \quad (3)$$

The slope of the relation is so shallow that a very large error in  $\overline{N}$  has negligible effect on the prediction of  $(V-I)$  (a huge error of 0.5 mag in  $\overline{N}$  corresponds to an error of only 0.016 mag in  $(V-I)$ ). The scatter in  $(V-I)$  for all galaxies is approximately 0.04 mag. If we restrict ourselves to only bona-fide elliptical galaxies with the best measurements of  $\overline{m}_I$  (error less than 0.30 mag) and  $(V-I)$  (error less than 0.02 mag), the scatter

decreases slightly to 0.03 mag. Inasmuch as the median error of the  $(V-I)$  values used is 0.015 mag, this means that the intrinsic scatter in the prediction of  $(V-I)$  from  $\bar{N}$  may be as small as 0.025 mag. This corresponds to an RMS uncertainty of only 0.02 mag in  $E(B-V)$ , which suggests that this is a promising way to measure extinctions.

For example, by measuring the  $I$  fluctuations in a galaxy which is hidden behind 3 mag of extinction, one could establish  $\bar{N}$  independent of the extinction, derive  $(V-I)_0$  with an accuracy of 0.025 mag,  $\bar{M}_I$  with an uncertainty of 0.11 mag,  $A_I$  with an accuracy of 0.04 mag, and hence an SBF distance which has an error of only 0.12 mag from extinction. Although there is some covariance in the final answer from the use of  $\bar{m}_I$  for both the intrinsic color and the distance modulus, the slope of  $(V-I)$  with  $\bar{N}$  is so shallow that the covariance is very mild.

The direct use of  $(V-I)$  to estimate  $\bar{M}_I$  is operationally difficult both because of the sensitivity to dust extinction and also the necessity for very accurate photometry. Use of  $\bar{N}$  eases these requirements considerably.

In practice, this means that it is not necessary to go through  $(V-I)$  at all to estimate the absolute  $\bar{M}_I$ , although some color information or estimate of dust extinction is eventually necessary to get a distance modulus. In order to demonstrate how  $\bar{M}_I$  depends on  $\bar{N}$  we must once again resort to groups so that  $\bar{m}_I$  differs from  $\bar{M}_I$  by only an offset. Figure 5 shows values for  $\bar{m}_I$  in eight groups as a function of  $\bar{N}$ . The lines are all drawn using the SBF distance modulus to the group based on the  $(V-I)$  measure of  $\bar{M}_I$  and the relation

$$\bar{M}_I = -1.74 + 0.14(\bar{N} - 20). \quad (4)$$

Again, there is some covariance between  $\bar{M}_I$  derived this way and  $\bar{m}_I$ , but this correlation has such a shallow slope that a distance modulus derived this way will suffer little in accuracy.

We do not want to suggest that use of  $\bar{N}$




Fig. 5.— The fluctuation magnitude  $\bar{m}_I$  for SBF galaxies in eight selected groups is shown as a function of  $\bar{N}_I$ . The lines are *not* fitted to the data, but are drawn with a slope of 0.14 and zero points according to the SBF distance of the group derived from  $(V-I)$  and  $\bar{m}_I$ .

should supplant the use of  $(V-I)$  to derive  $\bar{M}_I$ . Use of  $(V-I)$  has a solid basis on stellar populations whereas  $\bar{N}$  correlates with  $\bar{M}_I$  for similar reasons that elliptical galaxies fall on a fundamental plane, and potentially has unpleasant systematic problems. Although the relation between  $\bar{M}_I$  and  $\bar{N}$  shown in Figure 5 appears to track the relation between  $\bar{M}_I$  and  $(V-I)$  in eight different groups, it would not be surprising if the  $\bar{M}_I$ - $\bar{N}$  relation has environmental or type dependencies. We offer  $\bar{N}$  mainly as a simple and easy way to get a fairly reliable distance, and believe that it is a worthy subject for study in its own right. For example, Figure 6 illus-




Fig. 6.— The velocity dispersion of elliptical SBF galaxies is shown as a function of  $\bar{N}_I$ .

trates the rather tight correlation between  $\bar{N}$  and central velocity dispersion, tabulated by Prugniel and Simien (1996):

$$\log \sigma = 2.22 + 0.10 (\bar{N} - 20). \quad (5)$$

## 7. Lessons Learned and Future SBF Possibilities

The SBF Survey was an unexpectedly large project. We condensed a total of 7828 CCD frames taken over 65 observing runs to 2646 independent images, comprising a total of 1022 hours of exposure time. Unfortunately, most of the integration time was spent on observations which eventually did not contribute to measurements of  $\bar{m}_I$ . Either the seeing was superseded by a later observation or the time was spent on photometry, as discussed below. The total observing time that resulted in the  $\bar{m}_I$  measurements of Table 1 amounted to only 370 hours.

Figure 7 shows the distribution of seeing during these observations.

Obviously, good seeing and high throughput are the keys to successful SBF measurements. If, for example, we were to take advantage of better seeing to redo the present survey, reaching  $\text{PD} = 1.3$  by collecting  $10 \text{ e}^-$  per  $\bar{m}_I$  with a high-resistivity, near IR sensitive CCD and a wider-




Fig. 7.— The number of hours of exposure time is shown as a function of seeing for the observations which eventually contributed to the tabulated values for  $\bar{m}_I$ .

bandpass, high throughput  $I$  filter (gaining us about a factor of two in sensitivity), we could redo the entire survey in about 100 hours on a 2.4-m telescope. Furthermore, this set of would distance measurements would be a factor of two better, with a median error in  $\bar{m}_I$  of  $\sim 0.12$  mag.

Figure 8 shows the distribution of seeing we would require for this project.

Another major lesson learned concerned photometry. It is clear in hindsight that  $I$ -band SBF is very color sensitive, since the K and M giants that dominate the fluctuations are very red and have strong variations in  $(V-I)$  color. As a result, excellent photometry is mandatory for SBF. Our adopted program of “fitting in” photometric observations into our  $\bar{m}_I$  observations was not efficient. It would have been far better to devote all the good-seeing time on large telescopes for  $\bar{m}_I$  measurements and collect all the photometry on a few photometric, well-calibrated nights with a 1-m class telescope, with a common filter and CCD. As discussed in SBF-I, we encountered a particular problem calibrating  $I$ -band photometry with Tektronix CCDs which Sirianni et al. (1998) suggest is due to reflections from the mounting glass. This results in a large halo




Fig. 8.— The number of hours of exposure time is shown as a function of seeing for a new set of observations which would improve the error in  $\overline{m}_I$  to a median of 0.12 mag.

around the psf which affects points sources (standard stars) more than extended sources (target galaxies).

Finally, better software could have helped. We certainly learned how best to carry out SBF reductions throughout the project, but software which was more automated would have meant that improvements could be easily applied to already reduced data. Some aspects of the software could stand improvement even today, particularly galaxy fitting. Improved analytic models of systems with embedded disks, for example, highly inclined S0 galaxies, would doubtless add more galaxies with good SBF determinations, since removal of such large-scale features is essential for a good measurement of the power spectrum on smaller scales. Our software is available on request to aid in the development of more refined SBF reduction packages.

These lessons would have greatly eased and improved our ground-based *I*-band SBF survey that we spent a decade completing, but we also believe that the true potential of the SBF technique lies ahead with new tools and applications. Our successful SBF observations have mostly been limited to galaxies with distances  $D \lesssim 40$

Mpc. With the increased aperture size and better delivered image quality of the new generation of large telescopes it should be possible to push considerably further: in 0.4'' seeing it will be straightforward to get excellent measurements out beyond 50 Mpc. This is an interesting range for measuring large scale flows, near enough that an individual measurement has very good accuracy ( $< 200 \text{ km s}^{-1}$ ), yet far enough to sample more than our local volume. (We also note that the accuracy of the distances we present here is limited mostly by observing conditions; we believe it would even be worthwhile to redo our survey given far superior observing conditions. Figure 8 is similar to the seeing distribution hoped for on the new generation of telescopes, and an aperture larger than 2.4-m would reduce the necessary exposure times proportionately.

Recent improvements in size and characteristics in IR arrays have opened the door for the SBF technique. It is possible that the near-IR will ultimately prove more powerful: the amplitude of the SBF signal is 20–40 times larger, the seeing is usually much better, and dust in the target galaxy is less of a problem. On the other hand, the much brighter sky detracts from these advantages, and there are concerns about variations in the stellar population, galaxy to galaxy, that may be more difficult to calibrate. Whereas the *I*-band is dominated by light from every main sequence star as it climbs the giant branch, in the *K*-band there is significant contribution from rarer AGB stars, which could make distance measurements sensitive to stochastic variations in intermediate-age populations. There is also substantial doubt as to whether near-IR SBF magnitudes for elliptical galaxies are more than a one-parameter family. According to Blakeslee et al. (2000), the stellar population models indicate that, at low metallicities, near-IR SBF magnitudes depend mainly on age, while integrated color depend mainly on metallicity. At higher metallicities, the SBF amplitudes plateau, leading to a more complicated relation between color

and  $\overline{M}$ . Depending upon the mixture of ages and metallicities occurring in actual galaxies, this relation might or might not be a simple one. Thus, an accurate characterization of near-IR SBF for a large and diverse sample of galaxies could be extremely important from the standpoint of both stellar population and distance studies.

The next generations of HST instruments (ACS, WFC3) should be superb for SBF surveys. The imaging quality of HST makes it possible to get good  $I$ -band SBF distances at  $10,000 \text{ km s}^{-1}$ . These new cameras will be much more sensitive in the red than WFPC2, so the exposure times will be shorter. The field of view will also be greater, giving more surface area for the measurement. Using the NICMOS camera SBF in the  $H$ -band can reach  $10,000 \text{ km s}^{-1}$  in a single orbit, and a modern IR array in WFC3 would be even faster and better.

SBF has the potential to provide an accurate, unbiased chart of large-scale structure — defined by mass rather than galaxies — closer than  $10,000 \text{ km s}^{-1}$ . Apart from cosmological studies of  $H_0$ , large scale flows, local inhomogeneities, biasing of galaxy density with respect to mass, this will provide an important data for understanding the physics of galaxy formation by relating galaxy properties to the large-scale distribution of dark matter. No longer limited by our inability to convert fluxes and angles to luminosities and distances, we will add needed precision into studies of the history of star formation and structure for the nearest galaxies, those that we can study best.

It is with great sadness that we acknowledge the tragic death of our good friend and colleague Jeffrey Willick during the preparation of this paper. Jeff's contributions to the study of large-scale flows have been an important influence on our work; he will be sorely missed.

We remain grateful to all our friends who have helped us collect these data over the years. Paul Schechter in particular has contributed many ob-

servations and much advice. Discussions with Nick Kaiser about variance of variance were extremely helpful. Thanks are due to Brian Barris for providing us with profile fits and magnitudes. This work was supported primarily by NSF grant AST9401519.

## REFERENCES

- Ajhar, E. A., Lauer, T. R., Tonry, J. L., Blakeslee, J. P., Dressler, A., Holtzman, J. A., & Postman, M. 1997, *AJ*, 114, 626
- Bardeen, J.M., Bond, J.R., Kaiser, N., Szalay, A.S. 1986, *ApJ*, 304, 15.
- Bertelli, G., Bressan, A., Chiosi, C., Fagotto, F. & Nasi, E. 1994, *A&AS*, 106, 275
- Blakeslee, J. P., Ajhar, E. A., & Tonry, J. L. 1999, in *Post-Hipparcos Cosmic Candles*, eds. A. Heck & F. Caputo (Boston: Kluwer Academic Publishers), 181
- Blakeslee, J.P., Davis, M. Tonry, J.L., Dressler, A. & Ajhar, E.A. 1999, *ApJ*, 527, L73 (SBF-III)
- Blakeslee, J.P., Vazdekis, A. & Ajhar, E.A. 2000, *MNRAS*, in press (astro-ph/0008218)
- Bruzual, G. A. & Charlot, S. 1993, *ApJ*, 405, 538
- Burstein, D., & Heiles, C. 1984, *ApJS*, 54, 33 (BH)
- de Vaucouleurs, G., de Vaucouleurs, A., Corwin, H. G., Jr., Buta, R. J., Paturel, G., & Fouqué, P. 1991, *Third Reference Catalog of Bright Galaxies* (New York: Springer-Verlag) (RC3)
- Faber, S. M., Wegner, G., Burstein, D., Davies, R. L., Dressler, A., Lynden-Bell, D., & Terlevich, R. J. 1989, *ApJS*, 69, 763. (7S)
- Ferrarese, L., et al. 2000, *ApJ*, 529, 745
- Fisher, K.B., Huchra, J.P., Strauss, M.A., Davis, M., Yahil, A., & Schlegel, D. 1995, *ApJS*, 100, 69
- Freedman, W. L. et al. in preparation.
- Girardi, L., Bressan, A., Bertelli, G. & Chiosi, C. 2000, *A&AS*, 141, 371
- Herrnstein, J. R., et al. 1999, *Nature*, 400, 539
- Hudson, M. J., Smith, R. J., Lucey, J. R., Schlegel, D. G., & Davies, R. L. 1999, *ApJ*, 512, L79
- Jensen, J. B., Luppino, G. A., & Tonry, J. L. 1998a, *ApJ*, 505, 111
- Jensen, J. B., Luppino, G. A., & Tonry, J. L. 1998b, *ApJ*, 510, 71
- Kelson, D., et al. 2000, *ApJ*, 529, 768
- Laney, C. D. & Stobie, R. S. 1994, *MNRAS*, 266, 441
- Lauer, T. R., & Postman, M. 1994, *ApJ*, 425, 418
- Lauer, T. R., Tonry, J. L., Postman, M., Ajhar, E. A., & Holtzman, J. A. 1998, *ApJ*, 499, 577
- Layden, A. C., Hanson, R. B., Hawley, S. L., Klemola, A. R. & Hanley, C.J. 1996, *AJ*, 112, 2110
- Liu, M.C., Charlot, S. & Graham, J.R. 2000, *ApJ*, in press (astro-ph/0004367)
- Maoz, E., et al. 1999, *Nature*, 401, 351
- Mould, J. R., et al. 2000, *ApJ*, 529, 786
- Pahre, M. A., et al. 1999, *ApJ*, 515, 79
- Prugniel, P., & Simien, F., 1996 *A&AS*, 309, 749.
- Santiago, B.X., Strauss, M.A., Lahav, O., Davis, M., Dressler, A., & Huchra, J.P. 1995, *ApJ*, 446, 457
- Scaramella, R., Baiesi-Pillastrini, G., Chincarini, G., Vettolani, G., & Zamorani, G. 1989, *Nature*, 338, 562
- Schlegel, D. J., Finkbeiner, D. P., & Davis, M. 1998, *ApJ*, 500, 525 (SFD)
- Sirianni, M., Clampin, M., Hartig, G.F., Rafal, M.D., Ford, H.C., Golimowski, D.A., Tremonti, C., Illingworth, G., Blouke, M.M.,

- Lesser, M.P., Burmester, W., Kimble, R.A., Sullivan, P.; Krebs, C.A., Yagelowicz, J., 1998, Proc. SPIE Vol. 3355, 608.
- Tonry, J.L. 1991, ApJ, 373, L1.
- Tonry, J.L., Ajhar, E.A., & Luppino, G.A. 1990, AJ, 100, 1416.
- Tonry, J. L., Blakeslee, J. P., Ajhar, E. A., & Dressler, A. 1997, ApJ, 475, 399 (SBF-I)
- Tonry, J. L., Blakeslee, J. P., Ajhar, E. A., & Dressler, A. 2000, ApJ, 530, 625 (SBF-II)
- Willick, J. A. 1999, ApJ, 522, 647
- Willick, J.A. & Batra, P. 2000, ApJ, submitted, astro-ph/0005112
- Worthey, G. 1993a, ApJ, 409, 530
- Worthey, G. 1993b, ApJ, 418, 947
- Worthey, G. 1994, ApJS, 95, 107

TABLE 1  
SBF DATA

| Galaxy   | RA     | Dec     | $v_{CMB}$ | T  | Grp | $A_B$ | $(V-I)$       | $\overline{m}_I$ | $(m-M)$    | $\langle r \rangle$ | $Q$ | $PD$ | $\overline{N}_I$ |
|----------|--------|---------|-----------|----|-----|-------|---------------|------------------|------------|---------------------|-----|------|------------------|
| N7814    | 0.813  | 16.146  | 684       | 2  | 0   | 0.19  | 1.245 0.017 2 | 29.29 0.10 2     | 30.60 0.14 | 36 0.4 2.4          | 8.3 | 0.51 | 20.3             |
| N0063    | 4.440  | 11.449  | 803       | 0  | 0   | 0.48  | 0.979 0.018 2 | 28.85 0.31 1     | 31.36 0.33 | 24 0.6 1.3          | 5.4 | 1.14 | 17.8             |
| N0147    | 8.298  | 48.508  | -456      | -5 | 282 | 0.75  | 1.024 0.009 3 | 22.13 0.15 2     | 24.44 0.16 | 35 0.0 5.0          | 9.9 | 0.01 | 13.6             |
| N0185    | 9.742  | 48.338  | -494      | -5 | 282 | 0.79  | 1.051 0.017 4 | 21.83 0.13 3     | 24.02 0.16 | 43 0.0 4.1          | 9.9 | 0.01 | 14.2             |
| N0221    | 10.675 | 40.865  | -494      | -6 | 282 | 0.35  | 1.133 0.007 6 | 22.73 0.05 3     | 24.55 0.08 | 30 0.0 5.9          | 9.9 | 0.01 | 15.6             |
| N0224    | 10.685 | 41.269  | -590      | 3  | 282 | 0.35  | 1.231 0.007 5 | 23.03 0.05 3     | 24.40 0.08 | 51 0.0 3.4          | 9.9 | 0.01 | 21.6             |
| N0274    | 12.758 | -7.058  | 1390      | -3 | 0   | 0.24  | 1.135 0.020 2 | 29.64 0.45 1     | 31.45 0.47 | 33 0.7 1.4          | 3.0 | 1.68 | 18.8             |
| N0404    | 17.363 | 35.718  | -332      | -3 | 0   | 0.25  | 1.054 0.011 2 | 25.40 0.07 2     | 27.57 0.10 | 23 0.0 3.8          | 9.9 | 0.01 | 16.9             |
| N0448    | 18.816 | -1.625  | 1589      | -3 | 0   | 0.26  | 1.132 0.029 1 | 30.58 0.33 1     | 32.41 0.35 | 18 0.4 1.6          | 4.3 | 1.41 | 19.3             |
| N0524    | 21.199 | 9.539   | 2091      | -1 | 0   | 0.36  | 1.221 0.010 3 | 30.48 0.19 1     | 31.90 0.20 | 64 0.7 1.4          | 2.6 | 1.65 | 21.6             |
| N0584    | 22.837 | -6.868  | 1566      | -5 | 26  | 0.18  | 1.157 0.009 4 | 29.82 0.19 2     | 31.52 0.20 | 23 0.3 3.4          | 3.1 | 1.41 | 20.6             |
| N0596    | 23.217 | -7.033  | 1509      | -4 | 26  | 0.16  | 1.135 0.008 5 | 29.89 0.08 2     | 31.69 0.10 | 31 0.2 2.5          | 3.1 | 1.51 | 20.3             |
| N0636    | 24.778 | -7.513  | 1504      | -5 | 26  | 0.11  | 1.156 0.008 5 | 30.65 0.14 1     | 32.37 0.16 | 19 0.4 3.0          | 3.8 | 1.13 | 20.6             |
| N0720    | 28.252 | -13.739 | 1438      | -5 | 0   | 0.07  | 1.214 0.009 4 | 30.76 0.15 1     | 32.21 0.17 | 32 0.2 1.8          | 4.0 | 1.09 | 21.7             |
| N0821    | 32.088 | 10.996  | 1433      | -5 | 0   | 0.47  | 1.196 0.022 1 | 30.38 0.13 1     | 31.91 0.17 | 30 0.5 2.2          | 5.3 | 1.00 | 20.9             |
| N0855    | 33.515 | 27.877  | 338       | -5 | 0   | 0.31  | 1.015 0.018 1 | 27.59 0.14 2     | 29.94 0.17 | 19 0.5 1.8          | 9.6 | 0.23 | 16.2             |
| N0891    | 35.638 | 42.347  | 305       | 3  | 0   | 0.28  | 1.142 0.017 1 | 27.83 0.11 1     | 29.61 0.14 | 94 0.5 1.9          | 9.6 | 0.36 | 19.3             |
| N0936    | 36.907 | -1.155  | 1176      | -1 | 0   | 0.15  | 1.213 0.010 3 | 30.35 0.28 1     | 31.81 0.28 | 49 0.7 1.3          | 5.4 | 0.94 | 21.8             |
| N0949    | 37.704 | 37.136  | 381       | 3  | 0   | 0.25  | 0.958 0.011 2 | 27.65 0.16 1     | 30.26 0.18 | 35 0.6 1.2          | 9.3 | 0.44 | 17.0             |
| N1023    | 40.100 | 39.063  | 432       | -3 | 0   | 0.26  | 1.193 0.017 2 | 28.74 0.13 3     | 30.29 0.16 | 45 0.1 3.9          | 9.5 | 0.25 | 20.9             |
| N1052    | 40.270 | -8.256  | 1242      | -5 | 207 | 0.12  | 1.213 0.010 3 | 29.98 0.26 2     | 31.44 0.27 | 46 0.4 1.7          | 3.5 | 1.48 | 20.8             |
| N1162    | 44.733 | -12.399 | 2126      | -5 | 29  | 0.21  | 1.173 0.032 1 | 31.44 0.27 1     | 33.08 0.31 | 18 0.4 3.3          | 1.8 | 1.91 | 20.6             |
| N1172    | 45.400 | -14.837 | 1472      | -4 | 29  | 0.28  | 1.112 0.032 1 | 29.75 0.13 1     | 31.66 0.20 | 23 0.3 2.5          | 3.8 | 1.40 | 19.4             |
| N1199    | 45.910 | -15.614 | 2512      | -5 | 29  | 0.23  | 1.188 0.012 3 | 31.03 0.32 1     | 32.60 0.32 | 28 0.3 2.1          | 0.9 | 2.03 | 20.9             |
| N1201    | 46.035 | -26.068 | 1548      | -2 | 0   | 0.07  | 1.178 0.009 3 | 29.91 0.29 1     | 31.53 0.30 | 44 0.7 1.4          | 1.9 | 2.04 | 20.5             |
| N1209    | 46.513 | -15.612 | 2429      | -5 | 29  | 0.16  | 1.198 0.010 3 | 31.24 0.22 1     | 32.77 0.23 | 20 0.4 2.9          | 1.7 | 1.72 | 21.1             |
| N1297    | 49.809 | -19.101 | 1383      | -2 | 0   | 0.12  | 1.187 0.018 2 | 30.70 0.41 1     | 32.28 0.42 | 44 0.7 1.4          | 3.4 | 1.42 | 20.3             |
| N1316    | 50.673 | -37.208 | 1657      | -2 | 31  | 0.09  | 1.132 0.016 2 | 29.83 0.15 2     | 31.66 0.17 | 110 0.3 2.2         | 1.9 | 1.79 | 22.7             |
| I1919    | 51.508 | -32.896 | 1058      | -3 | 31  | 0.06  | 1.108 0.018 1 | 29.38 0.14 1     | 31.31 0.17 | 16 0.4 1.8          | 5.5 | 0.85 | 18.7             |
| N1332    | 51.572 | -21.336 | 1316      | -3 | 32  | 0.14  | 1.222 0.010 4 | 30.38 0.16 1     | 31.80 0.18 | 37 0.4 1.6          | 4.1 | 1.01 | 21.4             |
| N1336    | 51.630 | -35.714 | 1344      | -3 | 31  | 0.05  | 1.124 0.032 1 | 29.53 0.15 2     | 31.38 0.21 | 34 0.2 1.7          | 3.7 | 1.45 | 18.4             |
| E358-006 | 51.824 | -34.527 | 1234      | -4 | 31  | 0.04  | 1.068 0.020 2 | 29.24 0.31 1     | 31.35 0.32 | 13 0.6 2.2          | 4.8 | 0.97 | 17.6             |
| N1339    | 52.027 | -32.286 | 1252      | -4 | 31  | 0.06  | 1.134 0.012 3 | 29.79 0.35 1     | 31.61 0.35 | 20 0.4 1.5          | 4.2 | 0.95 | 19.2             |
| N1344    | 52.080 | -31.068 | 1086      | -5 | 31  | 0.08  | 1.135 0.011 3 | 29.67 0.29 2     | 31.48 0.30 | 27 0.3 2.2          | 5.0 | 0.97 | 20.6             |
| N1351    | 52.645 | -34.853 | 1420      | -3 | 31  | 0.06  | 1.148 0.016 2 | 29.86 0.13 1     | 31.61 0.16 | 26 0.3 2.2          | 3.8 | 1.12 | 19.8             |
| N1366    | 53.472 | -31.193 | 1186      | -2 | 31  | 0.07  | 1.095 0.018 1 | 29.63 0.27 1     | 31.62 0.29 | 22 0.7 1.4          | 3.6 | 1.48 | 18.9             |
| N1373    | 53.745 | -35.171 | 1272      | -4 | 31  | 0.06  | 1.085 0.013 2 | 29.74 0.46 1     | 31.78 0.47 | 11 0.7 1.4          | 2.7 | 2.05 | 17.5             |
| N1375    | 53.819 | -35.266 | 660       | -2 | 31  | 0.06  | 1.070 0.019 1 | 29.48 0.09 3     | 31.58 0.13 | 23 0.3 2.5          | 8.2 | 0.51 | 18.3             |
| N1374    | 53.820 | -35.226 | 1284      | -5 | 31  | 0.06  | 1.146 0.016 2 | 29.72 0.10 1     | 31.48 0.13 | 37 0.2 3.1          | 4.3 | 1.00 | 20.0             |
| E358-025 | 53.889 | -32.465 | 1346      | -3 | 31  | 0.04  | 1.034 0.018 1 | 28.99 0.24 1     | 31.25 0.26 | 23 0.7 1.3          | 2.4 | 2.07 | 16.8             |
| N1379    | 54.014 | -35.441 | 1297      | -5 | 31  | 0.05  | 1.143 0.019 1 | 29.74 0.11 1     | 31.51 0.15 | 41 0.2 2.8          | 4.2 | 1.00 | 19.8             |
| N1380    | 54.112 | -34.976 | 1732      | -2 | 31  | 0.08  | 1.197 0.019 1 | 29.70 0.15 2     | 31.23 0.18 | 49 0.3 2.4          | 0.8 | 2.67 | 20.8             |
| N1381    | 54.131 | -35.294 | 1640      | -2 | 31  | 0.06  | 1.189 0.018 1 | 29.71 0.19 1     | 31.28 0.21 | 24 0.6 1.2          | 3.1 | 1.16 | 19.4             |
| N1386    | 54.193 | -35.999 | 815       | -1 | 31  | 0.05  | 1.101 0.018 1 | 29.13 0.23 1     | 31.09 0.25 | 46 0.6 1.3          | 5.3 | 1.26 | 19.1             |
| N1380A   | 54.197 | -34.739 | 1485      | -2 | 31  | 0.06  | 1.138 0.018 1 | 29.21 0.28 1     | 31.00 0.29 | 23 0.6 1.3          | 2.1 | 2.15 | 18.3             |
| N1387    | 54.238 | -35.506 | 1192      | -3 | 31  | 0.06  | 1.208 0.047 2 | 30.06 0.14 1     | 31.54 0.26 | 26 0.3 2.2          | 4.3 | 1.16 | 20.8             |
| N1382    | 54.285 | -35.195 | 1652      | -3 | 31  | 0.07  | 1.106 0.013 2 | 29.83 0.30 2     | 31.77 0.31 | 18 0.4 2.1          | 1.2 | 2.58 | 17.8             |
| N1389    | 54.299 | -35.745 | 841       | -3 | 31  | 0.05  | 1.145 0.019 1 | 29.92 0.16 1     | 31.68 0.18 | 26 0.6 2.4          | 6.1 | 0.91 | 19.6             |
| N1399    | 54.621 | -35.449 | 1314      | -5 | 31  | 0.06  | 1.227 0.016 2 | 30.11 0.13 1     | 31.50 0.16 | 46 0.2 2.6          | 3.8 | 1.34 | 21.7             |
| N1395    | 54.623 | -23.028 | 1568      | -5 | 32  | 0.10  | 1.215 0.010 4 | 30.47 0.14 2     | 31.91 0.16 | 40 0.2 2.9          | 2.9 | 1.49 | 22.0             |
| N1411    | 54.688 | -44.100 | 910       | -3 | 0   | 0.04  | 1.107 0.018 1 | 29.54 0.23 1     | 31.48 0.25 | 30 0.5 2.0          | 4.9 | 1.21 | 19.4             |
| N1404    | 54.715 | -35.593 | 1817      | -5 | 31  | 0.05  | 1.224 0.016 2 | 30.20 0.16 1     | 31.61 0.19 | 45 0.3 2.7          | 2.0 | 2.00 | 21.5             |
| N1400    | 54.880 | -18.689 | 409       | -3 | 32  | 0.28  | 1.170 0.009 4 | 30.46 0.32 3     | 32.11 0.33 | 34 0.4 2.3          | 9.6 | 0.32 | 21.0             |
| N1407    | 55.052 | -18.581 | 1627      | -5 | 32  | 0.30  | 1.222 0.010 4 | 30.88 0.25 1     | 32.30 0.26 | 31 0.2 1.9          | 2.9 | 1.42 | 23.0             |
| N1419    | 55.178 | -37.512 | 1456      | -5 | 31  | 0.06  | 1.110 0.018 1 | 29.50 0.22 1     | 31.42 0.24 | 22 0.7 1.4          | 2.8 | 1.63 | 17.8             |
| N1427    | 55.582 | -35.393 | 1326      | -4 | 31  | 0.05  | 1.152 0.018 1 | 30.13 0.22 1     | 31.86 0.24 | 42 0.4 1.4          | 3.5 | 1.45 | 20.5             |
| N1426    | 55.705 | -22.110 | 1313      | -5 | 32  | 0.07  | 1.161 0.009 4 | 30.22 0.17 1     | 31.91 0.18 | 29 0.2 2.0          | 4.3 | 1.27 | 20.1             |



TABLE 1—*Continued*

| Galaxy   | RA      | Dec     | $v_{CMB}$ | T  | Grp | $A_B$ | $(V-I)$       | $\overline{m}_I$ | $(m-M)$    | $\langle r \rangle$ | $Q$ | $PD$ | $\overline{N}_I$ |
|----------|---------|---------|-----------|----|-----|-------|---------------|------------------|------------|---------------------|-----|------|------------------|
| N1439    | 56.210  | -21.922 | 1543      | -5 | 32  | 0.13  | 1.131 0.009 4 | 30.30 0.13 1     | 32.13 0.15 | 28 0.3 2.1          | 3.3 | 1.25 | 20.4             |
| E358-059 | 56.264  | -35.973 | 931       | -3 | 31  | 0.04  | 1.081 0.016 2 | 29.55 0.18 1     | 31.60 0.20 | 13 0.6 2.3          | 6.4 | 1.02 | 17.3             |
| I2006    | 58.618  | -35.967 | 1252      | -5 | 31  | 0.05  | 1.183 0.018 1 | 29.99 0.27 1     | 31.59 0.29 | 45 0.7 1.4          | 3.6 | 1.45 | 19.6             |
| N1527    | 62.102  | -47.897 | 1117      | -3 | 0   | 0.05  | 1.230 0.016 2 | 29.90 0.20 1     | 31.28 0.22 | 25 0.3 2.3          | 4.4 | 0.95 | 20.5             |
| N1533    | 62.464  | -56.121 | 744       | -3 | 211 | 0.07  | 1.198 0.018 1 | 30.13 0.37 1     | 31.65 0.38 | 44 0.7 1.4          | 5.7 | 1.14 | 20.6             |
| N1543    | 63.180  | -57.737 | 1065      | -2 | 211 | 0.12  | 1.173 0.016 2 | 29.88 0.14 1     | 31.51 0.17 | 52 0.3 2.2          | 4.2 | 1.11 | 20.8             |
| N1537    | 63.421  | -31.646 | 1300      | -3 | 210 | 0.11  | 1.096 0.018 1 | 29.84 0.16 1     | 31.83 0.19 | 40 0.4 3.0          | 3.0 | 1.72 | 20.5             |
| N1549    | 63.938  | -55.592 | 1128      | -5 | 211 | 0.05  | 1.168 0.016 2 | 29.81 0.15 1     | 31.47 0.18 | 24 0.3 2.4          | 3.5 | 1.13 | 21.5             |
| N1553    | 64.043  | -55.781 | 1256      | -2 | 211 | 0.05  | 1.159 0.016 2 | 29.64 0.14 1     | 31.34 0.17 | 29 0.2 2.0          | 3.3 | 1.31 | 21.5             |
| N1574    | 65.496  | -56.974 | 1025      | -3 | 211 | 0.07  | 1.162 0.016 2 | 29.80 0.19 1     | 31.49 0.21 | 35 0.4 1.7          | 4.0 | 1.10 | 20.8             |
| N1596    | 66.907  | -55.027 | 1508      | -2 | 211 | 0.04  | 1.171 0.016 2 | 29.27 0.13 1     | 30.92 0.16 | 21 0.3 2.8          | 2.2 | 1.57 | 19.4             |
| N2271    | 100.718 | -23.476 | 2724      | -3 | 0   | 0.53  | 1.234 0.029 1 | 31.15 0.25 1     | 32.51 0.28 | 21 0.4 2.8          | 1.9 | 1.93 | 20.6             |
| N2293    | 101.929 | -26.753 | 2135      | -1 | 0   | 0.52  | 1.237 0.013 2 | 29.81 0.40 1     | 31.16 0.41 | 11 0.7 1.4          | 2.6 | 2.03 | 20.8             |
| N2325    | 105.669 | -28.697 | 2408      | -5 | 0   | 0.51  | 1.164 0.014 2 | 30.36 0.14 1     | 32.04 0.16 | 19 0.3 2.3          | 2.1 | 2.14 | 21.3             |
| N2380    | 110.980 | -27.529 | 1963      | -2 | 0   | 1.32  | 1.110 0.009 4 | 30.14 0.35 1     | 32.05 0.35 | 15 0.5 1.9          | 2.1 | 1.63 | 21.2             |
| E208-021 | 113.486 | -50.442 | 1166      | -3 | 0   | 0.75  | 1.146 0.018 1 | 28.90 0.18 1     | 30.66 0.20 | 41 0.7 1.5          | 4.0 | 1.43 | 19.5             |
| N2434    | 113.715 | -69.284 | 1440      | -5 | 212 | 1.07  | 1.098 0.055 1 | 29.70 0.15 1     | 31.67 0.29 | 27 0.3 2.2          | 4.1 | 1.43 | 20.6             |
| I2311    | 124.690 | -25.371 | 2090      | -5 | 0   | 0.62  | 1.136 0.027 1 | 30.04 0.14 1     | 31.84 0.20 | 19 0.4 3.0          | 2.3 | 2.09 | 20.0             |
| N2549    | 124.743 | 57.803  | 1159      | -2 | 0   | 0.28  | 1.163 0.012 2 | 28.82 0.27 1     | 30.51 0.28 | 33 0.7 1.3          | 3.0 | 1.39 | 18.9             |
| N2592    | 126.783 | 25.971  | 2213      | -5 | 0   | 0.26  | 1.205 0.010 3 | 30.55 0.42 2     | 32.05 0.43 | 28 0.4 1.6          | 1.1 | 2.26 | 19.8             |
| N2634    | 132.105 | 73.967  | 2309      | -5 | 283 | 0.09  | 1.154 0.022 1 | 30.90 0.67 1     | 32.62 0.68 | 24 0.7 1.4          | 1.5 | 2.22 | 20.9             |
| N2683    | 133.171 | 33.417  | 640       | 3  | 0   | 0.14  | 1.147 0.015 1 | 27.68 0.35 1     | 29.44 0.36 | 48 0.7 1.5          | 5.4 | 0.49 | 19.1             |
| N2681    | 133.388 | 51.315  | 868       | 0  | 0   | 0.10  | 1.041 0.010 3 | 28.95 0.34 1     | 31.18 0.34 | 60 0.6 2.4          | 6.1 | 0.74 | 20.3             |
| N2695    | 133.613 | -3.067  | 2126      | -2 | 273 | 0.08  | 1.183 0.051 1 | 30.96 0.32 2     | 32.55 0.40 | 20 0.3 2.9          | 3.1 | 1.64 | 20.3             |
| N2699    | 133.953 | -3.128  | 2128      | -5 | 273 | 0.09  | 1.152 0.051 1 | 30.42 0.14 1     | 32.15 0.27 | 18 0.4 1.6          | 2.2 | 1.68 | 19.3             |
| N2768    | 137.907 | 60.039  | 1483      | -5 | 215 | 0.19  | 1.144 0.027 1 | 29.98 0.20 1     | 31.75 0.24 | 24 0.7 1.4          | 3.4 | 0.96 | 21.0             |
| N2784    | 138.078 | -24.173 | 1014      | -2 | 0   | 0.93  | 1.188 0.023 1 | 28.40 0.23 2     | 29.96 0.25 | 54 0.3 2.2          | 4.4 | 1.37 | 20.3             |
| N2778    | 138.102 | 35.028  | 2250      | -5 | 216 | 0.09  | 1.150 0.015 1 | 30.06 0.29 1     | 31.80 0.30 | 18 0.5 2.0          | 1.5 | 2.07 | 18.7             |
| N2787    | 139.829 | 69.203  | 763       | -1 | 0   | 0.57  | 1.194 0.019 1 | 27.82 0.35 1     | 29.37 0.36 | 35 0.6 1.3          | 3.3 | 1.18 | 18.9             |
| N2865    | 140.878 | -23.163 | 2897      | -5 | 284 | 0.36  | 1.105 0.019 2 | 30.95 0.17 1     | 32.89 0.20 | 21 0.3 2.8          | 0.6 | 2.14 | 20.8             |
| N2880    | 142.396 | 62.490  | 1677      | -3 | 215 | 0.14  | 1.148 0.015 1 | 29.95 0.20 1     | 31.70 0.21 | 22 0.4 1.6          | 2.9 | 1.31 | 19.4             |
| N2904    | 142.570 | -30.384 | 2694      | -3 | 0   | 0.54  | 1.201 0.041 1 | 30.36 0.14 2     | 31.86 0.24 | 19 0.3 2.2          | 1.7 | 2.07 | 19.3             |
| N2974    | 145.639 | -3.700  | 2266      | -5 | 0   | 0.23  | 1.203 0.015 1 | 30.16 0.23 1     | 31.66 0.24 | 37 0.6 2.4          | 0.6 | 2.15 | 21.0             |
| N2950    | 145.652 | 58.852  | 1466      | -2 | 0   | 0.07  | 1.110 0.019 1 | 28.95 0.25 1     | 30.87 0.27 | 33 0.7 1.3          | 1.0 | 2.23 | 19.3             |
| N3032    | 148.033 | 29.237  | 1842      | -2 | 0   | 0.07  | 1.073 0.019 1 | 29.62 0.26 1     | 31.71 0.28 | 25 0.7 1.4          | 2.7 | 1.71 | 18.8             |
| N3056    | 148.637 | -28.297 | 1373      | -1 | 0   | 0.39  | 1.073 0.023 1 | 28.34 0.22 1     | 30.43 0.25 | 27 0.6 2.2          | 2.5 | 1.98 | 17.9             |
| N3031    | 148.890 | 69.067  | 46        | 2  | 0   | 0.35  | 1.187 0.011 3 | 26.38 0.25 3     | 27.96 0.26 | 72 0.0 2.4          | 9.9 | 0.04 | 20.8             |
| N3078    | 149.602 | -26.926 | 2837      | -5 | 219 | 0.31  | 1.209 0.017 2 | 31.25 0.29 2     | 32.73 0.30 | 31 0.5 2.0          | 1.0 | 2.67 | 21.6             |
| N3087    | 149.787 | -34.225 | 2976      | -4 | 218 | 0.45  | 1.164 0.019 2 | 31.04 0.18 1     | 32.72 0.21 | 23 0.3 2.6          | 1.6 | 2.23 | 21.2             |
| N3073    | 150.216 | 55.620  | 1317      | -3 | 0   | 0.04  | 1.007 0.019 1 | 30.26 0.92 1     | 32.64 0.93 | 17 0.7 1.3          | 1.9 | 1.51 | 18.3             |
| N3077    | 150.838 | 68.734  | 95        | 0  | 0   | 0.29  | 1.044 0.015 2 | 25.81 0.10 1     | 28.03 0.13 | 46 0.4 2.9          | 9.9 | 0.09 | 17.1             |
| N3115    | 151.309 | -7.719  | 1054      | -3 | 0   | 0.20  | 1.183 0.010 6 | 28.34 0.06 4     | 29.93 0.09 | 54 0.3 3.2          | 4.4 | 0.95 | 20.8             |
| N3136    | 151.451 | -67.378 | 1823      | -5 | 44  | 1.03  | 1.095 0.033 2 | 29.96 0.15 1     | 31.95 0.22 | 32 0.5 1.9          | 3.5 | 1.39 | 21.2             |
| N3136B   | 152.555 | -67.005 | 1949      | -4 | 44  | 0.81  | 1.164 0.033 2 | 29.96 0.11 2     | 31.64 0.19 | 17 0.4 3.4          | 3.1 | 1.52 | 19.6             |
| N3156    | 153.171 | 3.131   | 1651      | -2 | 252 | 0.15  | 1.011 0.011 5 | 29.38 0.13 1     | 31.75 0.14 | 17 0.4 1.7          | 3.0 | 1.34 | 18.5             |
| N3193    | 154.604 | 21.895  | 1696      | -5 | 45  | 0.11  | 1.174 0.009 4 | 31.03 0.17 1     | 32.66 0.18 | 23 0.2 3.0          | 3.8 | 0.85 | 21.5             |
| N3226    | 155.864 | 19.899  | 1601      | -5 | 45  | 0.10  | 1.178 0.015 1 | 30.25 0.23 1     | 31.86 0.24 | 23 0.5 1.9          | 2.7 | 1.33 | 20.5             |
| N3250    | 156.635 | -39.943 | 3189      | -5 | 46  | 0.44  | 1.226 0.019 3 | 31.75 0.14 2     | 33.15 0.17 | 27 0.3 2.2          | 1.6 | 2.14 | 22.1             |
| N3245    | 156.826 | 28.508  | 1657      | -2 | 0   | 0.11  | 1.139 0.023 1 | 29.81 0.16 1     | 31.60 0.20 | 25 0.4 1.7          | 1.2 | 1.79 | 20.0             |
| N3257    | 157.196 | -35.658 | 3344      | -3 | 46  | 0.33  | 1.192 0.041 1 | 31.13 0.18 1     | 32.68 0.26 | 15 0.5 2.0          | 1.2 | 2.61 | 19.8             |
| N3258    | 157.226 | -35.606 | 3129      | -5 | 46  | 0.36  | 1.209 0.034 1 | 31.06 0.22 1     | 32.53 0.27 | 26 0.3 2.3          | 1.7 | 2.32 | 21.2             |
| N3268    | 157.503 | -35.325 | 3084      | -5 | 46  | 0.45  | 1.189 0.023 2 | 31.14 0.22 1     | 32.71 0.25 | 9 0.5 1.9           | 1.7 | 1.85 | 21.6             |
| N3318    | 159.315 | -41.628 | 3071      | 3  | 0   | 0.34  | 1.073 0.101 1 | 30.61 0.19 1     | 32.70 0.49 | 18 0.3 2.3          | 1.1 | 2.06 | 20.1             |
| N3368    | 161.688 | 11.821  | 1252      | 2  | 57  | 0.11  | 1.145 0.015 1 | 28.32 0.20 1     | 30.08 0.22 | 132 0.7 1.3         | 1.7 | 1.63 | 20.2             |
| N3377    | 161.924 | 13.983  | 1038      | -5 | 57  | 0.15  | 1.114 0.009 4 | 28.35 0.06 3     | 30.25 0.09 | 42 0.2 3.7          | 4.8 | 0.89 | 19.5             |
| N3379    | 161.958 | 12.582  | 1274      | -5 | 57  | 0.10  | 1.193 0.015 1 | 28.57 0.07 2     | 30.12 0.11 | 57 0.2 3.1          | 2.4 | 1.59 | 20.3             |
| N3384    | 162.072 | 12.630  | 1080      | -3 | 57  | 0.11  | 1.151 0.018 1 | 28.59 0.10 1     | 30.32 0.14 | 63 0.3 2.4          | 3.9 | 1.24 | 20.1             |

TABLE 1—*Continued*

| Galaxy   | RA      | Dec     | $v_{CMB}$ | T  | Grp | $A_B$ | $(V-I)$       | $\overline{m}_I$ | $(m-M)$    | $\langle r \rangle$ | $Q$ | $PD$ | $\overline{N}_I$ |
|----------|---------|---------|-----------|----|-----|-------|---------------|------------------|------------|---------------------|-----|------|------------------|
| N3412    | 162.722 | 13.413  | 1218      | -2 | 57  | 0.12  | 1.111 0.015 1 | 28.35 0.11 1     | 30.27 0.14 | 40 0.6 2.2          | 3.0 | 1.40 | 18.7             |
| N3414    | 162.818 | 27.976  | 1784      | -2 | 0   | 0.10  | 1.149 0.019 1 | 30.27 0.32 1     | 32.01 0.33 | 32 0.7 1.4          | 1.2 | 1.66 | 20.6             |
| N3457    | 163.703 | 17.622  | 1497      | 0  | 0   | 0.14  | 1.098 0.015 1 | 29.60 0.13 2     | 31.58 0.15 | 17 0.5 2.1          | 3.4 | 1.32 | 18.2             |
| N3489    | 165.076 | 13.902  | 1045      | -1 | 0   | 0.07  | 1.041 0.023 1 | 28.18 0.10 2     | 30.41 0.15 | 49 0.4 1.4          | 3.9 | 0.96 | 18.9             |
| N3557    | 167.490 | -37.538 | 3337      | -5 | 154 | 0.43  | 1.183 0.016 1 | 31.72 0.20 1     | 33.30 0.22 | 20 0.3 2.1          | 1.7 | 2.67 | 23.0             |
| N3585    | 168.320 | -26.756 | 1845      | -5 | 285 | 0.28  | 1.160 0.016 2 | 29.81 0.16 1     | 31.51 0.18 | 56 0.5 2.1          | 1.2 | 2.31 | 21.5             |
| N3599    | 168.864 | 18.113  | 1192      | -2 | 48  | 0.09  | 1.112 0.012 2 | 29.63 0.16 1     | 31.54 0.18 | 27 0.4 1.6          | 4.4 | 1.14 | 19.3             |
| N3605    | 169.195 | 18.018  | 1029      | -5 | 48  | 0.09  | 1.118 0.024 2 | 29.70 0.27 1     | 31.58 0.29 | 8 0.7 1.4           | 5.1 | 1.11 | 18.1             |
| N3607    | 169.225 | 18.053  | 1294      | -2 | 48  | 0.09  | 1.152 0.010 3 | 30.06 0.15 1     | 31.79 0.17 | 32 0.3 2.7          | 3.8 | 1.40 | 21.4             |
| N3608    | 169.245 | 18.149  | 1539      | -5 | 48  | 0.09  | 1.156 0.009 5 | 30.09 0.12 1     | 31.80 0.14 | 25 0.2 2.7          | 3.8 | 0.92 | 20.5             |
| N3610    | 169.608 | 58.787  | 1922      | -5 | 281 | 0.04  | 1.108 0.015 1 | 29.73 0.20 1     | 31.65 0.22 | 32 0.7 1.4          | 0.7 | 2.21 | 19.8             |
| N3613    | 169.651 | 58.001  | 2216      | -5 | 281 | 0.05  | 1.175 0.015 1 | 30.69 0.39 1     | 32.32 0.40 | 27 0.4 1.6          | 0.3 | 2.22 | 21.0             |
| N3626    | 170.015 | 18.358  | 1815      | -1 | 48  | 0.09  | 1.009 0.015 1 | 29.13 0.23 1     | 31.51 0.24 | 52 0.7 1.4          | 1.6 | 2.03 | 19.2             |
| N3640    | 170.278 | 3.236   | 1674      | -5 | 50  | 0.19  | 1.140 0.009 5 | 30.37 0.12 1     | 32.16 0.13 | 25 0.3 2.3          | 3.1 | 1.49 | 21.3             |
| N3641    | 170.286 | 3.195   | 2130      | -5 | 50  | 0.18  | 1.131 0.012 3 | 30.30 0.24 1     | 32.13 0.25 | 16 0.4 1.8          | 1.8 | 1.90 | 18.7             |
| N3818    | 175.489 | -6.156  | 1874      | -5 | 153 | 0.16  | 1.124 0.015 1 | 30.94 0.60 1     | 32.80 0.61 | 32 0.7 1.4          | 2.5 | 1.69 | 20.3             |
| N3904    | 177.305 | -29.276 | 2095      | -5 | 52  | 0.31  | 1.156 0.055 1 | 30.55 0.13 1     | 32.26 0.28 | 26 0.3 2.2          | 2.7 | 1.51 | 21.0             |
| N3923    | 177.759 | -28.806 | 1953      | -5 | 52  | 0.36  | 1.194 0.055 1 | 30.26 0.12 1     | 31.80 0.28 | 42 0.2 2.8          | 2.7 | 1.50 | 21.9             |
| N3928    | 177.946 | 48.681  | 1187      | 3  | 155 | 0.09  | 1.096 0.015 1 | 29.16 0.63 1     | 31.14 0.64 | 20 0.6 2.2          | 2.5 | 1.47 | 17.9             |
| N3941    | 178.230 | 36.987  | 1215      | -2 | 0   | 0.09  | 1.125 0.013 2 | 28.58 0.16 1     | 30.43 0.18 | 48 0.1 1.9          | 1.3 | 1.63 | 19.3             |
| I0745    | 178.551 | 0.136   | 1506      | -2 | 0   | 0.09  | 0.978 0.010 4 | 28.80 0.30 1     | 31.31 0.30 | 17 0.6 1.3          | 0.2 | 2.33 | 16.8             |
| N3990    | 179.401 | 55.459  | 879       | -3 | 155 | 0.07  | 1.151 0.019 1 | 28.33 0.27 1     | 30.06 0.28 | 11 0.5 2.0          | 4.2 | 0.98 | 16.8             |
| N3998    | 179.486 | 55.454  | 1202      | -2 | 155 | 0.07  | 1.194 0.011 3 | 29.20 0.18 1     | 30.75 0.19 | 34 0.3 2.6          | 2.4 | 1.35 | 19.7             |
| N4026    | 179.857 | 50.962  | 1077      | -2 | 155 | 0.09  | 1.174 0.015 1 | 29.04 0.26 1     | 30.67 0.28 | 26 0.7 1.3          | 4.7 | 0.86 | 19.6             |
| N4033    | 180.145 | -17.842 | 1886      | -5 | 53  | 0.20  | 1.113 0.023 1 | 29.71 0.20 1     | 31.62 0.23 | 22 0.7 1.4          | 1.2 | 2.56 | 19.3             |
| N4105    | 181.670 | -29.762 | 2222      | -5 | 49  | 0.26  | 1.171 0.017 2 | 30.47 0.14 1     | 32.12 0.17 | 34 0.2 1.8          | 2.4 | 1.89 | 21.5             |
| N4111    | 181.761 | 43.067  | 1045      | -1 | 155 | 0.06  | 1.096 0.015 1 | 28.90 0.22 1     | 30.88 0.23 | 34 0.6 1.3          | 3.9 | 1.20 | 19.1             |
| N4125    | 182.030 | 65.173  | 1455      | -5 | 54  | 0.08  | 1.174 0.011 2 | 30.26 0.24 1     | 31.89 0.25 | 52 0.2 1.7          | 2.3 | 1.86 | 21.9             |
| N4138    | 182.378 | 43.688  | 1070      | -1 | 155 | 0.06  | 1.164 0.013 2 | 29.02 0.25 1     | 30.70 0.26 | 37 0.6 1.2          | 3.0 | 1.01 | 18.9             |
| N4143    | 182.402 | 42.536  | 1207      | -2 | 155 | 0.05  | 1.181 0.015 1 | 29.41 0.17 1     | 31.01 0.19 | 24 0.4 1.8          | 3.0 | 1.38 | 19.4             |
| N4150    | 182.640 | 30.402  | 538       | -2 | 55  | 0.08  | 1.071 0.017 1 | 28.60 0.22 1     | 30.69 0.24 | 33 0.7 1.3          | 6.3 | 0.81 | 18.3             |
| N4203    | 183.772 | 33.198  | 1399      | -3 | 0   | 0.05  | 1.195 0.019 1 | 29.36 0.15 1     | 30.90 0.18 | 39 0.3 2.2          | 1.9 | 1.26 | 20.7             |
| N4251    | 184.533 | 28.176  | 1367      | -2 | 55  | 0.10  | 1.117 0.015 1 | 29.57 0.18 1     | 31.46 0.20 | 35 0.3 2.5          | 2.9 | 1.41 | 20.0             |
| N4258    | 184.741 | 47.304  | 664       | 4  | 0   | 0.07  | 1.134 0.023 1 | 27.50 0.08 2     | 29.31 0.14 | 103 0.7 1.7         | 6.3 | 0.61 | 21.1             |
| N4261    | 184.845 | 5.827   | 2557      | -5 | 150 | 0.08  | 1.258 0.014 2 | 31.25 0.18 1     | 32.50 0.19 | 25 0.2 2.7          | 1.0 | 1.28 | 22.3             |
| N4278    | 185.030 | 29.280  | 938       | -5 | 55  | 0.12  | 1.161 0.012 4 | 29.34 0.18 1     | 31.03 0.20 | 40 0.4 1.8          | 5.9 | 0.66 | 20.4             |
| N4291    | 185.076 | 75.373  | 1765      | -5 | 98  | 0.16  | 1.175 0.017 1 | 30.47 0.31 1     | 32.09 0.32 | 33 0.3 2.1          | 2.2 | 1.68 | 20.4             |
| N4283    | 185.087 | 29.311  | 1371      | -5 | 55  | 0.11  | 1.178 0.010 3 | 29.37 0.18 1     | 30.98 0.19 | 18 0.6 2.2          | 2.4 | 1.65 | 18.3             |
| N4346    | 185.867 | 46.994  | 977       | -2 | 0   | 0.06  | 1.158 0.012 2 | 29.07 0.15 1     | 30.78 0.17 | 31 0.7 1.4          | 4.0 | 1.00 | 19.1             |
| N4339    | 185.893 | 6.082   | 1653      | -5 | 56  | 0.11  | 1.200 0.015 1 | 29.56 0.16 1     | 31.08 0.18 | 21 0.5 2.1          | 1.1 | 2.07 | 19.4             |
| N4365    | 186.116 | 7.318   | 1592      | -5 | 150 | 0.09  | 1.222 0.017 1 | 30.14 0.14 1     | 31.55 0.17 | 35 0.3 2.5          | 3.0 | 1.35 | 21.8             |
| N4386    | 186.122 | 75.530  | 1698      | -2 | 0   | 0.17  | 1.196 0.019 1 | 30.63 0.48 1     | 32.16 0.49 | 34 0.6 1.3          | 2.4 | 1.87 | 20.3             |
| N4374    | 186.265 | 12.887  | 1375      | -5 | 56  | 0.17  | 1.191 0.008 5 | 29.77 0.09 2     | 31.32 0.11 | 55 0.2 2.8          | 4.1 | 1.30 | 22.0             |
| N4379    | 186.312 | 15.608  | 1407      | -3 | 56  | 0.10  | 1.185 0.017 1 | 29.18 0.39 1     | 30.76 0.41 | 28 0.4 1.6          | 2.4 | 1.42 | 18.8             |
| N4391    | 186.329 | 64.934  | 1451      | -3 | 54  | 0.08  | 1.112 0.015 1 | 29.99 0.26 1     | 31.90 0.27 | 16 0.7 1.4          | 3.2 | 1.38 | 18.5             |
| N4382    | 186.353 | 18.191  | 1087      | -1 | 0   | 0.13  | 1.150 0.022 3 | 29.59 0.09 2     | 31.33 0.14 | 53 0.1 2.7          | 5.5 | 0.76 | 21.8             |
| E322-008 | 186.407 | -39.320 | 3335      | -2 | 35  | 0.36  | 1.205 0.023 2 | 31.37 0.50 1     | 32.86 0.52 | 21 0.7 1.4          | 0.0 | 2.53 | 20.7             |
| N4387    | 186.424 | 12.812  | 925       | -5 | 56  | 0.14  | 1.163 0.011 2 | 29.97 0.72 1     | 31.65 0.73 | 15 0.4 1.4          | 3.0 | 1.46 | 19.0             |
| N4406    | 186.549 | 12.947  | 120       | -5 | 56  | 0.13  | 1.167 0.008 5 | 29.51 0.12 1     | 31.17 0.14 | 27 0.2 2.8          | 5.7 | 0.85 | 22.1             |
| N4419    | 186.737 | 15.048  | 154       | 1  | 56  | 0.14  | 1.126 0.026 2 | 28.80 0.21 1     | 30.65 0.25 | 49 0.4 1.4          | 2.5 | 1.15 | 19.0             |
| N4441    | 186.837 | 64.800  | 1553      | -1 | 0   | 0.09  | 1.005 0.012 2 | 29.00 0.44 1     | 31.40 0.45 | 32 0.7 1.4          | 1.5 | 1.51 | 17.2             |
| N4434    | 186.904 | 8.155   | 1418      | -5 | 56  | 0.10  | 1.125 0.015 1 | 30.29 0.15 1     | 32.14 0.17 | 12 0.6 2.2          | 6.9 | 0.61 | 19.2             |
| I3370    | 186.904 | -39.338 | 3276      | -5 | 35  | 0.40  | 1.185 0.022 3 | 30.56 0.14 1     | 32.14 0.17 | 19 0.3 2.2          | 0.9 | 2.69 | 20.9             |
| N4460    | 187.192 | 44.863  | 782       | -1 | 0   | 0.08  | 1.011 0.015 1 | 27.54 0.17 1     | 29.91 0.19 | 33 0.7 1.4          | 5.6 | 0.88 | 16.8             |
| N4458    | 187.241 | 13.243  | 1001      | -5 | 56  | 0.10  | 1.140 0.011 2 | 29.39 0.09 1     | 31.18 0.12 | 15 0.4 1.8          | 6.8 | 0.66 | 18.3             |
| N4459    | 187.250 | 13.979  | 1553      | -1 | 56  | 0.20  | 1.187 0.015 1 | 29.47 0.21 1     | 31.04 0.22 | 37 0.2 1.9          | 3.5 | 1.11 | 20.6             |
| N4468    | 187.380 | 14.050  | 1232      | -3 | 56  | 0.20  | 1.045 0.015 1 | 28.79 0.11 1     | 31.00 0.14 | 19 0.5 2.0          | 3.1 | 1.35 | 17.4             |

TABLE 1—*Continued*

| Galaxy   | RA      | Dec     | $v_{CMB}$ | T  | Grp | $A_B$ | $(V-I)$       | $\overline{m}_I$ | $(m-M)$    | $\langle r \rangle$ | $Q$ | $PD$ | $\overline{N}_I$ |
|----------|---------|---------|-----------|----|-----|-------|---------------|------------------|------------|---------------------|-----|------|------------------|
| N4472    | 187.444 | 7.999   | 1346      | -5 | 56  | 0.10  | 1.218 0.011 3 | 29.62 0.07 2     | 31.06 0.10 | 65 0.2 2.7          | 3.8 | 1.08 | 22.5             |
| N4473    | 187.453 | 13.430  | 2575      | -5 | 56  | 0.12  | 1.158 0.012 2 | 29.28 0.11 1     | 30.98 0.13 | 35 0.3 2.2          | 2.5 | 1.62 | 20.3             |
| N4476    | 187.495 | 12.348  | 2296      | -3 | 56  | 0.12  | 1.048 0.017 1 | 28.98 0.14 1     | 31.18 0.17 | 20 0.6 2.2          | 2.1 | 1.40 | 17.8             |
| N4478    | 187.572 | 12.329  | 1711      | -5 | 56  | 0.11  | 1.164 0.019 3 | 29.62 0.26 1     | 31.29 0.28 | 19 0.6 2.4          | 3.0 | 1.49 | 19.3             |
| N4486    | 187.707 | 12.390  | 1632      | -4 | 56  | 0.10  | 1.244 0.012 3 | 29.72 0.14 2     | 31.03 0.16 | 53 0.1 3.3          | 4.4 | 0.74 | 22.2             |
| N4489    | 187.718 | 16.759  | 1290      | -5 | 56  | 0.12  | 1.046 0.015 1 | 29.05 0.13 1     | 31.26 0.15 | 15 0.6 1.3          | 3.3 | 1.48 | 17.9             |
| N4494    | 187.851 | 25.774  | 1653      | -5 | 235 | 0.09  | 1.139 0.010 3 | 29.38 0.08 1     | 31.16 0.11 | 27 0.2 2.5          | 3.2 | 0.91 | 20.6             |
| N4526    | 188.512 | 7.700   | 949       | -2 | 56  | 0.10  | 1.188 0.021 4 | 29.57 0.17 2     | 31.14 0.20 | 46 0.2 3.8          | 5.3 | 0.92 | 21.1             |
| N4531    | 188.567 | 13.076  | 345       | -1 | 56  | 0.18  | 1.100 0.015 1 | 28.94 0.20 1     | 30.91 0.22 | 42 0.4 1.7          | 3.2 | 1.19 | 19.4             |
| N4548    | 188.860 | 14.497  | 884       | 3  | 56  | 0.16  | 1.148 0.019 1 | 29.67 0.53 1     | 31.42 0.54 | 24 0.4 1.5          | 3.1 | 1.19 | 22.0             |
| N4546    | 188.873 | -3.794  | 1395      | -3 | 0   | 0.15  | 1.155 0.013 2 | 29.03 0.19 1     | 30.74 0.20 | 34 0.3 2.1          | 2.9 | 1.20 | 19.7             |
| N4550    | 188.879 | 12.221  | 719       | -2 | 56  | 0.17  | 1.078 0.011 2 | 28.94 0.18 1     | 31.00 0.20 | 22 0.4 1.6          | 3.5 | 1.11 | 18.4             |
| U07767   | 188.886 | 73.675  | 1390      | -5 | 0   | 0.09  | 1.152 0.019 1 | 30.48 0.96 1     | 32.22 0.97 | 18 0.6 1.3          | 2.2 | 1.67 | 18.3             |
| N4551    | 188.909 | 12.266  | 1536      | -5 | 56  | 0.17  | 1.170 0.009 3 | 29.54 0.16 2     | 31.19 0.17 | 22 0.4 1.7          | 3.8 | 1.05 | 18.9             |
| N4552    | 188.916 | 12.557  | 660       | -5 | 56  | 0.18  | 1.194 0.015 1 | 29.39 0.11 1     | 30.93 0.14 | 59 0.3 2.6          | 3.1 | 1.35 | 20.5             |
| N4565    | 189.086 | 25.989  | 1527      | 3  | 235 | 0.07  | 1.128 0.027 1 | 29.37 0.11 1     | 31.21 0.17 | 54 0.6 1.2          | 3.2 | 0.99 | 21.1             |
| N4564    | 189.113 | 11.439  | 1504      | -5 | 56  | 0.15  | 1.161 0.009 3 | 29.19 0.16 2     | 30.88 0.17 | 26 0.3 2.7          | 3.2 | 1.12 | 19.3             |
| N4589    | 189.357 | 74.195  | 2040      | -5 | 98  | 0.12  | 1.180 0.015 1 | 30.10 0.20 1     | 31.71 0.22 | 28 0.3 2.5          | 1.2 | 1.98 | 20.5             |
| N4578    | 189.378 | 9.555   | 2626      | -2 | 56  | 0.09  | 1.127 0.015 1 | 29.50 0.10 1     | 31.34 0.13 | 26 0.4 3.0          | 3.6 | 1.12 | 19.7             |
| E322-038 | 189.576 | -41.501 | 3428      | -3 | 58  | 0.56  | 1.242 0.051 1 | 31.15 0.25 1     | 32.48 0.34 | 11 0.7 1.4          | 0.2 | 2.37 | 20.1             |
| N4594    | 189.997 | -11.623 | 1483      | 1  | 0   | 0.22  | 1.175 0.031 2 | 28.32 0.10 1     | 29.95 0.18 | 48 0.7 1.4          | 2.6 | 1.04 | 21.6             |
| N4600    | 190.094 | 3.120   | 1137      | -2 | 0   | 0.12  | 1.141 0.017 1 | 27.55 0.20 1     | 29.33 0.22 | 30 0.7 1.5          | 1.7 | 1.66 | 16.0             |
| I3653    | 190.316 | 11.387  | 940       | 0  | 56  | 0.14  | 1.139 0.017 1 | 29.05 0.44 1     | 30.84 0.45 | 11 0.5 2.0          | 2.8 | 1.28 | 16.5             |
| N4620    | 190.499 | 12.943  | 1511      | -2 | 56  | 0.13  | 1.048 0.019 1 | 29.44 0.29 1     | 31.64 0.30 | 16 0.7 1.4          | 2.3 | 1.51 | 18.0             |
| N4621    | 190.510 | 11.647  | 780       | -5 | 56  | 0.14  | 1.172 0.018 2 | 29.67 0.18 1     | 31.31 0.20 | 48 0.2 3.2          | 2.5 | 1.62 | 21.4             |
| N4616    | 190.571 | -40.642 | 4880      | -4 | 59  | 0.55  | 1.196 0.021 2 | 31.45 0.21 1     | 32.98 0.24 | 17 0.4 1.8          | 1.4 | 2.36 | 20.3             |
| N4638    | 190.699 | 11.443  | 1484      | -3 | 56  | 0.11  | 1.149 0.013 2 | 29.93 0.25 1     | 31.68 0.26 | 26 0.7 1.4          | 3.0 | 1.23 | 19.8             |
| N4636    | 190.707 | 2.688   | 1286      | -5 | 152 | 0.12  | 1.233 0.012 2 | 29.46 0.11 1     | 30.83 0.13 | 43 0.2 3.6          | 3.3 | 1.29 | 21.7             |
| N4649    | 190.918 | 11.549  | 1430      | -5 | 56  | 0.12  | 1.232 0.023 2 | 29.76 0.09 1     | 31.13 0.15 | 35 0.2 1.9          | 3.8 | 0.86 | 22.4             |
| N4645    | 191.041 | -41.750 | 2883      | -4 | 58  | 0.64  | 1.188 0.025 2 | 30.82 0.13 1     | 32.38 0.18 | 17 0.3 2.5          | 1.9 | 2.13 | 20.6             |
| N4660    | 191.135 | 11.191  | 1451      | -5 | 56  | 0.14  | 1.154 0.015 1 | 28.82 0.17 1     | 30.54 0.19 | 26 0.4 1.7          | 2.3 | 1.67 | 18.6             |
| N4684    | 191.824 | -2.727  | 1940      | -1 | 151 | 0.12  | 1.100 0.015 1 | 28.68 0.17 1     | 30.65 0.19 | 30 0.4 1.5          | 0.4 | 2.68 | 18.4             |
| E322-088 | 192.091 | -41.714 | 2895      | -2 | 58  | 0.48  | 1.156 0.034 1 | 31.07 0.65 1     | 32.78 0.67 | 34 0.4 1.8          | 1.2 | 2.46 | 19.8             |
| N4697    | 192.150 | -5.801  | 1561      | -5 | 151 | 0.13  | 1.157 0.010 3 | 28.64 0.12 1     | 30.35 0.14 | 41 0.3 2.1          | 1.7 | 2.19 | 20.8             |
| N4696    | 192.208 | -41.311 | 3248      | -4 | 58  | 0.49  | 1.203 0.014 3 | 31.25 0.15 2     | 32.75 0.17 | 57 0.3 2.1          | 0.7 | 2.53 | 22.4             |
| E322-101 | 192.391 | -41.056 | 2343      | 0  | 58  | 0.49  | 1.167 0.023 2 | 30.52 0.42 1     | 32.18 0.44 | 10 0.5 2.1          | 2.7 | 1.99 | 18.3             |
| N4709    | 192.517 | -41.382 | 4939      | -5 | 59  | 0.51  | 1.199 0.011 4 | 31.22 0.22 1     | 32.74 0.23 | 26 0.2 3.0          | 2.4 | 1.80 | 21.9             |
| N4725    | 192.612 | 25.500  | 1502      | 2  | 0   | 0.05  | 1.209 0.023 1 | 29.14 0.32 1     | 30.61 0.34 | 27 0.7 1.3          | 2.1 | 1.82 | 21.8             |
| N4736    | 192.723 | 41.119  | 540       | 2  | 0   | 0.08  | 1.071 0.017 1 | 26.49 0.15 2     | 28.58 0.18 | 123 0.6 1.4         | 6.2 | 0.52 | 19.3             |
| N4733    | 192.779 | 10.912  | 1237      | -4 | 56  | 0.09  | 1.099 0.015 1 | 28.90 0.18 1     | 30.87 0.20 | 26 0.3 2.7          | 3.9 | 1.03 | 18.6             |
| N4742    | 192.950 | -10.455 | 1669      | -5 | 0   | 0.18  | 1.045 0.017 2 | 28.74 0.13 1     | 30.95 0.16 | 33 0.5 1.8          | 2.1 | 1.84 | 18.5             |
| N4754    | 193.074 | 11.314  | 1705      | -3 | 56  | 0.14  | 1.178 0.011 2 | 29.51 0.12 1     | 31.13 0.14 | 33 0.3 2.6          | 1.7 | 1.82 | 20.2             |
| N4753    | 193.095 | -1.199  | 1635      | 0  | 0   | 0.15  | 1.087 0.013 2 | 29.83 0.17 1     | 31.86 0.19 | 67 0.7 1.3          | 1.1 | 1.67 | 21.4             |
| E323-034 | 193.358 | -41.204 | 4542      | -5 | 59  | 0.54  | 1.165 0.019 2 | 31.02 0.20 1     | 32.69 0.22 | 27 0.5 2.2          | 1.1 | 2.51 | 20.8             |
| N4802    | 193.957 | -12.055 | 1358      | -2 | 0   | 0.21  | 1.004 0.018 1 | 27.92 0.13 1     | 30.31 0.16 | 28 0.7 1.4          | 2.2 | 1.63 | 17.7             |
| N4826    | 194.185 | 21.685  | 717       | 2  | 0   | 0.18  | 1.029 0.011 2 | 27.09 0.18 1     | 29.37 0.20 | 102 0.7 1.4         | 5.4 | 0.77 | 19.9             |
| N4946    | 196.372 | -43.591 | 3310      | -4 | 62  | 0.47  | 1.190 0.021 2 | 31.83 0.14 2     | 33.39 0.17 | 15 0.3 2.8          | 1.9 | 2.45 | 21.3             |
| N5044    | 198.850 | -16.386 | 3033      | -5 | 63  | 0.30  | 1.210 0.027 1 | 31.00 0.25 1     | 32.47 0.28 | 28 0.3 2.4          | 0.3 | 2.18 | 21.2             |
| N5102    | 200.491 | -36.630 | 706       | -3 | 226 | 0.24  | 0.976 0.016 1 | 25.49 0.09 1     | 28.01 0.13 | 57 0.3 2.1          | 5.3 | 0.90 | 17.6             |
| N5128    | 201.371 | -43.017 | 812       | -2 | 226 | 0.50  | 1.078 0.016 1 | 26.05 0.11 1     | 28.12 0.14 | 185 0.6 1.3         | 4.4 | 1.07 | 21.8             |
| N5195    | 202.495 | 47.272  | 742       | 0  | 0   | 0.16  | 1.056 0.019 1 | 27.25 0.25 2     | 29.42 0.27 | 38 0.0 1.9          | 6.0 | 0.63 | 19.4             |
| N5273    | 205.535 | 35.653  | 1313      | -2 | 0   | 0.04  | 1.142 0.017 1 | 29.31 0.24 1     | 31.09 0.26 | 26 0.4 1.7          | 2.2 | 1.38 | 18.9             |
| N5322    | 207.315 | 60.191  | 1916      | -5 | 254 | 0.06  | 1.183 0.011 2 | 30.88 0.22 1     | 32.47 0.23 | 29 0.4 3.0          | 1.0 | 1.74 | 22.0             |
| N5338    | 208.360 | 5.208   | 1068      | -2 | 0   | 0.12  | 1.019 0.023 1 | 28.21 0.28 1     | 30.54 0.30 | 14 0.5 1.1          | 3.0 | 2.05 | 16.8             |
| N5485    | 211.798 | 55.002  | 2111      | -2 | 237 | 0.07  | 1.180 0.017 1 | 30.46 0.33 1     | 32.07 0.34 | 32 0.7 1.4          | 0.6 | 2.32 | 20.5             |
| N5582    | 215.181 | 39.693  | 1492      | -5 | 0   | 0.06  | 1.145 0.013 2 | 30.51 0.22 1     | 32.27 0.23 | 24 0.5 1.8          | 3.8 | 1.21 | 20.1             |
| N5574    | 215.235 | 3.239   | 1845      | -3 | 0   | 0.14  | 1.054 0.011 3 | 29.71 0.61 1     | 31.89 0.62 | 17 0.6 1.3          | 1.2 | 2.18 | 18.4             |

TABLE 1—*Continued*

| Galaxy | RA      | Dec     | $v_{CMB}$ | T  | Grp | $A_B$ | $(V-I)$ |       |   | $\overline{m}_I$ | $(m-M)$ |   |       | $\langle r \rangle$ | $Q$ | $PD$ | $\overline{N}_I$ |     |      |      |
|--------|---------|---------|-----------|----|-----|-------|---------|-------|---|------------------|---------|---|-------|---------------------|-----|------|------------------|-----|------|------|
| N5576  | 215.268 | 3.271   | 1818      | -5 | 68  | 0.14  | 1.098   | 0.010 | 4 | 30.05            | 0.12    | 1 | 32.03 | 0.14                | 24  | 0.3  | 2.4              | 2.7 | 1.71 | 20.8 |
| N5611  | 216.022 | 33.049  | 2154      | -2 | 0   | 0.05  | 1.111   | 0.017 | 2 | 30.09            | 0.45    | 1 | 32.01 | 0.46                | 15  | 0.7  | 1.4              | 0.8 | 2.37 | 18.4 |
| N5631  | 216.639 | 56.583  | 2057      | -2 | 0   | 0.09  | 1.122   | 0.019 | 1 | 30.35            | 0.22    | 1 | 32.22 | 0.24                | 32  | 0.7  | 1.4              | 1.1 | 2.41 | 20.3 |
| N5638  | 217.419 | 3.234   | 1901      | -5 | 68  | 0.14  | 1.169   | 0.011 | 3 | 30.44            | 0.23    | 2 | 32.10 | 0.24                | 25  | 0.2  | 3.5              | 2.0 | 1.79 | 20.5 |
| N5687  | 218.722 | 54.476  | 2310      | -3 | 0   | 0.05  | 1.174   | 0.013 | 2 | 30.60            | 0.50    | 1 | 32.23 | 0.51                | 16  | 0.7  | 1.4              | 0.2 | 2.68 | 20.2 |
| N5770  | 223.313 | 3.960   | 1687      | -2 | 0   | 0.17  | 1.120   | 0.017 | 1 | 29.52            | 0.28    | 1 | 31.39 | 0.29                | 32  | 0.7  | 1.4              | 1.7 | 1.97 | 18.8 |
| N5812  | 225.232 | -7.458  | 2286      | -5 | 0   | 0.38  | 1.213   | 0.015 | 1 | 30.70            | 0.28    | 1 | 32.15 | 0.29                | 33  | 0.3  | 2.6              | 0.8 | 2.35 | 21.2 |
| N5813  | 225.297 | 1.702   | 2178      | -5 | 70  | 0.25  | 1.189   | 0.014 | 2 | 30.97            | 0.16    | 1 | 32.54 | 0.18                | 25  | 0.3  | 2.7              | 2.4 | 1.20 | 21.9 |
| N5831  | 226.030 | 1.221   | 1894      | -5 | 70  | 0.26  | 1.140   | 0.010 | 5 | 30.38            | 0.15    | 1 | 32.17 | 0.17                | 18  | 0.3  | 2.1              | 3.3 | 1.14 | 20.3 |
| N5839  | 226.367 | 1.635   | 1420      | -2 | 70  | 0.23  | 1.190   | 0.011 | 2 | 30.21            | 0.30    | 1 | 31.77 | 0.30                | 32  | 0.7  | 1.4              | 4.4 | 1.24 | 19.2 |
| N5845  | 226.505 | 1.635   | 1654      | -5 | 70  | 0.23  | 1.124   | 0.012 | 3 | 30.21            | 0.19    | 1 | 32.07 | 0.21                | 14  | 0.6  | 2.4              | 3.5 | 0.83 | 18.8 |
| N5846  | 226.622 | 1.607   | 1917      | -5 | 70  | 0.24  | 1.227   | 0.007 | 8 | 30.59            | 0.19    | 1 | 31.98 | 0.20                | 23  | 0.2  | 3.3              | 4.2 | 1.02 | 22.0 |
| N5866  | 226.626 | 55.763  | 754       | -1 | 0   | 0.06  | 1.121   | 0.009 | 4 | 29.05            | 0.10    | 3 | 30.93 | 0.12                | 38  | 0.6  | 2.3              | 5.8 | 0.87 | 20.4 |
| N5898  | 229.555 | -24.097 | 2284      | -5 | 71  | 0.63  | 1.169   | 0.009 | 5 | 30.67            | 0.25    | 1 | 32.32 | 0.26                | 33  | 0.4  | 1.8              | 2.9 | 2.12 | 21.1 |
| N5903  | 229.651 | -24.068 | 2711      | -5 | 71  | 0.64  | 1.142   | 0.011 | 4 | 30.87            | 0.22    | 1 | 32.65 | 0.23                | 24  | 0.3  | 2.4              | 1.3 | 2.28 | 21.5 |
| I1153  | 239.265 | 48.168  | 803       | -2 | 0   | 0.08  | 1.197   | 0.011 | 3 | 29.75            | 0.19    | 2 | 31.28 | 0.21                | 15  | 0.4  | 2.9              | 5.2 | 0.83 | 18.4 |
| N6017  | 239.314 | 5.998   | 1921      | 0  | 0   | 0.23  | 1.092   | 0.011 | 2 | 30.37            | 0.31    | 1 | 32.37 | 0.31                | 16  | 0.7  | 1.4              | 1.3 | 1.96 | 18.5 |
| N6548  | 271.496 | 18.587  | 2088      | -2 | 0   | 0.35  | 1.244   | 0.009 | 3 | 30.50            | 0.20    | 2 | 31.81 | 0.21                | 34  | 0.6  | 2.6              | 1.9 | 1.77 | 21.1 |
| N6673  | 281.279 | -62.297 | 1128      | -4 | 78  | 0.46  | 1.189   | 0.019 | 1 | 28.61            | 0.20    | 1 | 30.18 | 0.23                | 29  | 0.6  | 1.3              | 3.2 | 1.38 | 18.1 |
| N6703  | 281.829 | 45.551  | 2244      | -3 | 0   | 0.38  | 1.164   | 0.006 | 9 | 30.45            | 0.29    | 3 | 32.13 | 0.29                | 20  | 0.5  | 2.0              | 1.3 | 2.02 | 21.0 |
| N6684  | 282.240 | -65.174 | 846       | -2 | 0   | 0.29  | 1.116   | 0.015 | 2 | 28.82            | 0.22    | 1 | 30.72 | 0.24                | 72  | 0.5  | 1.1              | 4.8 | 1.07 | 20.1 |
| I4797  | 284.122 | -54.306 | 2544      | -4 | 279 | 0.34  | 1.184   | 0.018 | 1 | 30.66            | 0.18    | 1 | 32.24 | 0.20                | 23  | 0.4  | 1.8              | 2.1 | 1.96 | 20.6 |
| I4889  | 296.316 | -54.344 | 2393      | -5 | 77  | 0.23  | 1.137   | 0.016 | 2 | 30.54            | 0.13    | 1 | 32.33 | 0.16                | 20  | 0.4  | 3.0              | 2.2 | 1.77 | 20.7 |
| N6869  | 300.150 | 66.217  | 2603      | -2 | 0   | 0.79  | 1.164   | 0.007 | 5 | 30.86            | 0.21    | 1 | 32.53 | 0.22                | 20  | 0.5  | 2.0              | 1.4 | 2.34 | 20.7 |
| N6851  | 300.890 | -48.284 | 2914      | -5 | 80  | 0.20  | 1.137   | 0.016 | 3 | 30.99            | 0.19    | 1 | 32.79 | 0.21                | 20  | 0.4  | 3.0              | 0.7 | 2.04 | 20.4 |
| N6861  | 301.830 | -48.370 | 2687      | -3 | 80  | 0.23  | 1.221   | 0.019 | 2 | 30.82            | 0.35    | 1 | 32.24 | 0.36                | 32  | 0.5  | 1.9              | 1.2 | 2.47 | 21.2 |
| N6909  | 306.911 | -47.026 | 2600      | -4 | 80  | 0.16  | 1.064   | 0.020 | 2 | 30.63            | 0.12    | 2 | 32.75 | 0.16                | 19  | 0.4  | 3.0              | 1.9 | 2.00 | 19.9 |
| N7029  | 317.968 | -49.283 | 2645      | -5 | 83  | 0.16  | 1.138   | 0.032 | 1 | 31.13            | 0.46    | 1 | 32.92 | 0.49                | 32  | 0.5  | 1.9              | 1.4 | 2.27 | 20.6 |
| N7041  | 319.136 | -48.364 | 1697      | -3 | 83  | 0.17  | 1.139   | 0.055 | 2 | 30.27            | 0.18    | 1 | 32.05 | 0.31                | 37  | 0.4  | 1.6              | 3.2 | 1.66 | 20.2 |
| N7049  | 319.751 | -48.564 | 1977      | -2 | 83  | 0.24  | 1.174   | 0.033 | 1 | 30.75            | 0.15    | 1 | 32.38 | 0.22                | 55  | 0.5  | 2.1              | 2.8 | 1.58 | 21.8 |
| N7097  | 325.056 | -42.540 | 2184      | -5 | 267 | 0.09  | 1.176   | 0.022 | 2 | 30.93            | 0.18    | 1 | 32.55 | 0.21                | 29  | 0.2  | 2.0              | 3.7 | 1.55 | 20.2 |
| N7144  | 328.179 | -48.254 | 1722      | -5 | 84  | 0.09  | 1.161   | 0.009 | 5 | 30.26            | 0.10    | 3 | 31.95 | 0.12                | 33  | 0.2  | 1.9              | 3.1 | 1.65 | 20.7 |
| N7145  | 328.334 | -47.882 | 1673      | -5 | 84  | 0.09  | 1.133   | 0.016 | 2 | 30.04            | 0.19    | 1 | 31.85 | 0.21                | 25  | 0.3  | 2.4              | 2.5 | 1.76 | 20.1 |
| N7173  | 330.515 | -31.974 | 2225      | -4 | 85  | 0.11  | 1.150   | 0.017 | 1 | 30.74            | 0.16    | 1 | 32.48 | 0.19                | 21  | 0.3  | 2.8              | 2.8 | 1.89 | 19.9 |
| N7168  | 330.530 | -51.742 | 2563      | -5 | 102 | 0.10  | 1.184   | 0.022 | 2 | 31.14            | 0.21    | 1 | 32.72 | 0.24                | 29  | 0.2  | 2.0              | 1.8 | 2.36 | 20.4 |
| N7180  | 330.576 | -20.547 | 1164      | -2 | 265 | 0.14  | 1.109   | 0.009 | 4 | 29.34            | 0.25    | 2 | 31.26 | 0.26                | 23  | 0.4  | 1.7              | 3.7 | 1.35 | 17.8 |
| N7185  | 330.734 | -20.471 | 1523      | -3 | 265 | 0.14  | 1.080   | 0.012 | 2 | 29.45            | 0.36    | 1 | 31.51 | 0.37                | 30  | 0.6  | 1.3              | 1.5 | 2.18 | 18.5 |
| N7196  | 331.478 | -50.120 | 2813      | -5 | 102 | 0.09  | 1.211   | 0.022 | 2 | 31.80            | 0.28    | 1 | 33.27 | 0.30                | 31  | 0.2  | 1.9              | 2.5 | 1.86 | 21.7 |
| N7192  | 331.708 | -64.316 | 2764      | -4 | 0   | 0.15  | 1.174   | 0.032 | 1 | 31.26            | 0.28    | 1 | 32.89 | 0.32                | 27  | 0.3  | 2.2              | 1.0 | 2.60 | 21.2 |
| N7200  | 331.788 | -49.996 | 2702      | -4 | 102 | 0.08  | 1.183   | 0.018 | 3 | 31.12            | 0.31    | 1 | 32.71 | 0.32                | 16  | 0.5  | 1.9              | 2.6 | 2.03 | 19.2 |
| N7280  | 336.615 | 16.149  | 1542      | -1 | 0   | 0.24  | 1.105   | 0.009 | 3 | 29.98            | 0.21    | 1 | 31.93 | 0.22                | 32  | 0.7  | 1.4              | 2.7 | 1.67 | 19.1 |
| N7302  | 338.100 | -14.117 | 2242      | -3 | 0   | 0.30  | 1.126   | 0.016 | 3 | 30.03            | 0.19    | 1 | 31.88 | 0.21                | 17  | 0.6  | 1.3              | 1.0 | 2.33 | 19.2 |
| N7331  | 339.272 | 34.419  | 492       | 3  | 0   | 0.39  | 1.120   | 0.017 | 1 | 28.72            | 0.14    | 1 | 30.59 | 0.17                | 115 | 0.8  | 1.5              | 9.3 | 0.36 | 20.9 |
| N7332  | 339.352 | 23.798  | 853       | -2 | 0   | 0.16  | 1.107   | 0.008 | 4 | 29.88            | 0.19    | 3 | 31.81 | 0.20                | 27  | 0.6  | 1.6              | 7.5 | 0.61 | 20.1 |
| I1459  | 344.290 | -36.460 | 1350      | -5 | 231 | 0.07  | 1.194   | 0.018 | 1 | 30.79            | 0.26    | 1 | 32.33 | 0.28                | 54  | 0.3  | 2.2              | 4.1 | 1.49 | 22.2 |
| N7457  | 345.250 | 30.144  | 478       | -3 | 0   | 0.23  | 1.104   | 0.009 | 3 | 28.66            | 0.20    | 3 | 30.61 | 0.21                | 30  | 0.2  | 2.6              | 9.3 | 0.36 | 18.8 |
| N7454  | 345.278 | 16.390  | 1637      | -5 | 232 | 0.34  | 1.123   | 0.012 | 4 | 30.03            | 0.29    | 2 | 31.89 | 0.30                | 23  | 0.5  | 1.9              | 3.5 | 1.23 | 19.6 |
| N7507  | 348.032 | -28.541 | 1240      | -5 | 243 | 0.21  | 1.196   | 0.009 | 4 | 30.45            | 0.15    | 1 | 31.99 | 0.17                | 35  | 0.2  | 1.7              | 3.9 | 1.20 | 21.8 |
| N7619  | 350.061 | 8.206   | 3370      | -5 | 87  | 0.35  | 1.229   | 0.009 | 3 | 32.23            | 0.31    | 2 | 33.62 | 0.31                | 25  | 0.4  | 3.5              | 2.1 | 2.46 | 22.9 |
| I5328  | 353.321 | -45.017 | 2902      | -5 | 0   | 0.06  | 1.173   | 0.023 | 2 | 31.26            | 0.10    | 2 | 32.89 | 0.15                | 23  | 0.3  | 2.5              | 1.6 | 2.67 | 21.2 |
| N7743  | 356.090 | 9.934   | 1283      | -1 | 0   | 0.31  | 1.080   | 0.009 | 3 | 29.53            | 0.15    | 1 | 31.58 | 0.17                | 14  | 0.4  | 1.6              | 4.1 | 1.03 | 19.6 |
| N7796  | 359.749 | -55.457 | 3078      | -4 | 0   | 0.04  | 1.230   | 0.022 | 2 | 32.11            | 0.38    | 1 | 33.49 | 0.40                | 23  | 0.3  | 2.5              | 0.8 | 2.43 | 22.1 |

TABLE 2  
UNCERTAIN SBF DATA

| Galaxy | RA      | Dec     | $v_{CMB}$ | T  | Grp | $A_B$ | $(V-I)$       | $\overline{m}_I$ | $(m-M)$    | $\langle r \rangle$ | $Q$  | $PD$ | $\overline{N}_I$ |
|--------|---------|---------|-----------|----|-----|-------|---------------|------------------|------------|---------------------|------|------|------------------|
| N1331  | 51.618  | -21.356 | 1173      | -5 | 31  | 0.13  | 0             | 29.73 0.32 1     | 31.80 0.37 | 21 0.7 1.4          | 3.6  | 1.65 | 17.6             |
| N1521  | 62.079  | -21.052 | 4070      | -5 | 0   | 0.18  | 1.152 0.029 1 | 32.41 0.36 1     | 34.14 0.38 | 21 0.3 2.8          | 0.2  | 2.81 | 22.1             |
| N1700  | 74.234  | -4.868  | 3844      | -5 | 100 | 0.19  | 1.163 0.011 4 | 31.54 0.14 1     | 33.23 0.16 | 26 0.3 2.2          | 0.6  | 2.88 | 21.7             |
| N3413  | 162.838 | 32.768  | 917       | -2 | 0   | 0.10  | 0.733 0.015 1 | 27.44 0.23 1     | 31.05 0.24 | 18 0.5 1.9          | 4.7  | 0.78 | 16.2             |
| N3522  | 166.669 | 20.086  | 1590      | -5 | 0   | 0.10  | 0             | 30.02 0.21 1     | 32.03 0.28 | 18 0.5 2.0          | 3.2  | 1.30 | 18.1             |
| N3962  | 178.666 | -13.973 | 2192      | -5 | 244 | 0.20  | 1.145 0.023 1 | 30.98 0.48 1     | 32.74 0.49 | 36 0.4 1.7          | 0.8  | 2.85 | 21.8             |
| N4168  | 183.069 | 13.207  | 2653      | -5 | 0   | 0.16  | 1.132 0.015 1 | 30.63 0.41 1     | 32.45 0.42 | 19 0.6 2.3          | -0.4 | 2.31 | 20.8             |
| N4233  | 184.277 | 7.623   | 2726      | -2 | 150 | 0.10  | 1.191 0.015 1 | 31.09 0.93 1     | 32.65 0.94 | 32 0.7 1.4          | -0.6 | 2.43 | 20.3             |
| N4281  | 185.090 | 5.387   | 3089      | -1 | 150 | 0.09  | 1.167 0.015 1 | 30.28 0.26 1     | 31.94 0.28 | 27 0.3 2.6          | -0.1 | 2.22 | 20.3             |
| N4627  | 190.499 | 32.575  | 1102      | -5 | 248 | 0.07  | 0.911 0.015 1 | 27.04 0.13 1     | 29.86 0.15 | 27 0.2 1.6          | 3.4  | 1.32 | 15.4             |
| N4767  | 193.472 | -39.714 | 3298      | -5 | 58  | 0.46  | 1.175 0.028 2 | 30.95 0.21 1     | 32.58 0.25 | 19 0.3 2.2          | 1.0  | 2.80 | 20.8             |
| N5011  | 198.216 | -43.097 | 3371      | -5 | 62  | 0.43  | 1.189 0.027 1 | 31.54 0.18 1     | 33.11 0.22 | 22 0.3 2.7          | 0.9  | 2.73 | 22.0             |
| N5193  | 202.973 | -33.235 | 3932      | -5 | 64  | 0.24  | 1.164 0.034 1 | 30.99 0.25 2     | 32.66 0.29 | 20 0.3 3.0          | 0.0  | 2.91 | 20.6             |
| N5869  | 227.455 | 0.470   | 2314      | -2 | 70  | 0.23  | 1.161 0.014 5 | 30.28 1.22 1     | 31.98 1.22 | 8 0.7 1.3           | -0.1 | 2.24 | 19.7             |
| N6702  | 281.741 | 45.707  | 4600      | -5 | 0   | 0.47  | 1.149 0.006 8 | 31.76 0.23 1     | 33.51 0.24 | 13 0.4 2.9          | 0.4  | 2.71 | 21.1             |
| I4943  | 301.618 | -48.374 | 2799      | -5 | 80  | 0.22  | 1.133 0.023 2 | 30.67 0.15 2     | 32.48 0.19 | 15 0.5 1.9          | 1.4  | 2.80 | 19.2             |
| N6868  | 302.474 | -48.379 | 2742      | -5 | 80  | 0.24  | 1.230 0.009 4 | 30.76 0.24 1     | 32.14 0.25 | 26 0.3 2.3          | 0.3  | 2.77 | 21.4             |
| I5269  | 344.425 | -36.017 | 1846      | -2 | 231 | 0.07  | 0             | 30.15 0.24 1     | 32.02 0.30 | 22 0.7 1.4          | 1.8  | 2.40 | 19.1             |
| N7562  | 348.989 | 6.688   | 3231      | -5 | 87  | 0.45  | 1.187 0.018 1 | 32.22 0.83 1     | 33.79 0.84 | 32 0.7 1.4          | 0.2  | 2.97 | 22.0             |

TABLE 3  
SBF COLOR DATA

| Galaxy | $\langle r \rangle$ | $\overline{m}_V$ |      | $\overline{m}_R$ |      | $\overline{m}_I$ |      | $(V-I)$ | $\overline{m}_V - \overline{m}_R$ |      | $\overline{m}_V - \overline{m}_I$ |      |
|--------|---------------------|------------------|------|------------------|------|------------------|------|---------|-----------------------------------|------|-----------------------------------|------|
| N0147  |                     | 24.51            | 0.09 | 23.39            | 0.09 | 22.29            | 0.09 | 1.030   | 1.12                              | 0.12 | 2.22                              | 0.12 |
| N0185  |                     | 24.38            | 0.11 | 23.21            | 0.09 | 21.98            | 0.08 | 1.023   | 1.18                              | 0.14 | 2.40                              | 0.14 |
| N0205  | 8                   | 23.72            | 0.17 | 23.22            | 0.18 | 22.26            | 0.17 | 0.845   | 0.50                              | 0.24 | 1.46                              | 0.24 |
| N0205  | 16                  | 24.32            | 0.16 | 23.53            | 0.10 | 22.28            | 0.08 | 0.895   | 0.79                              | 0.19 | 2.04                              | 0.18 |
| N0205  | 33                  | 24.60            | 0.09 | 23.60            | 0.09 | 22.35            | 0.08 | 0.965   | 1.00                              | 0.12 | 2.25                              | 0.12 |
| N0205  | 66                  | 24.77            | 0.08 | 23.67            | 0.08 | 22.43            | 0.08 | 0.995   | 1.10                              | 0.11 | 2.34                              | 0.11 |
| N0205  | 132                 | 24.77            | 0.08 | 23.67            | 0.08 | 22.45            | 0.08 | 0.985   | 1.10                              | 0.11 | 2.32                              | 0.11 |
| N0221  |                     | 25.43            | 0.09 | 24.20            | 0.09 | 22.84            | 0.09 | 1.139   | 1.22                              | 0.12 | 2.59                              | 0.12 |
| N0224  |                     | 25.51            | 0.09 | 24.53            | 0.09 | 22.96            | 0.09 | 1.233   | 0.98                              | 0.12 | 2.54                              | 0.12 |
| N0404  |                     | 28.13            | 0.13 | 26.99            | 0.09 | 25.48            | 0.09 | 1.063   | 1.14                              | 0.16 | 2.65                              | 0.16 |

TABLE 4  
SBF GROUPS

| Group       | Example | RA    | Dec   | $v_h$ | 7S# | $(m-M)$    | $D$       | $N$ |
|-------------|---------|-------|-------|-------|-----|------------|-----------|-----|
| LocalGroup  | N0224   | 10.0  | 41.0  | −300  | 282 | 24.48 0.05 | 0.79 0.02 | 2   |
| Cetus       | N0636   | 24.2  | −7.8  | 1800  | 26  | 31.97 0.09 | 24.8 1.1  | 5   |
| N1023       | N1023   | 37.0  | 35.0  | 650   | 0   | 30.00 0.11 | 10.0 0.5  | 4   |
| Eridanus    | N1407   | 53.0  | −21.0 | 1700  | 32  | 32.00 0.08 | 25.1 1.0  | 7   |
| Fornax      | N1399   | 54.1  | −35.6 | 1400  | 31  | 31.49 0.04 | 19.9 0.4  | 26  |
| Dorado      | N1549   | 63.7  | −55.7 | 1300  | 211 | 31.34 0.08 | 18.5 0.7  | 6   |
| M81         | N3031   | 147.9 | 69.3  | −40   | 299 | 28.01 0.12 | 4.0 0.2   | 2   |
| LeoIII      | N3193   | 153.9 | 22.1  | 1400  | 45  | 32.38 0.15 | 29.9 2.2  | 2   |
| LeoI        | N3379   | 161.3 | 12.8  | 900   | 57  | 30.22 0.06 | 11.1 0.3  | 5   |
| LeoII       | N3607   | 168.6 | 18.3  | 950   | 48  | 31.69 0.08 | 21.8 0.9  | 5   |
| UMa         | N3928   | 180.0 | 47.0  | 900   | 155 | 30.84 0.10 | 14.7 0.8  | 6   |
| N4125       | N4125   | 181.4 | 65.5  | 1300  | 54  | 31.82 0.17 | 23.1 2.0  | 3   |
| ComaI       | N4278   | 184.4 | 29.6  | 1000  | 55  | 31.07 0.10 | 16.4 0.8  | 4   |
| N4386       | N4386   | 185.6 | 75.8  | 1650  | 98  | 31.87 0.17 | 23.6 2.0  | 3   |
| Virgo       | N4486   | 187.1 | 12.7  | 1150  | 56  | 31.15 0.03 | 17.0 0.3  | 31  |
| ComaII      | N4494   | 187.2 | 26.1  | 1350  | 235 | 31.14 0.09 | 16.9 0.8  | 3   |
| Centaurus   | N4696   | 191.5 | −41.0 | 3000  | 58  | 32.64 0.08 | 33.8 1.4  | 9   |
| N5011       | N5011   | 197.5 | −42.8 | 3100  | 62  | 33.28 0.14 | 45.3 3.1  | 2   |
| CenA        | N5128   | 200.0 | −39.0 | 550   | 226 | 28.06 0.11 | 4.1 0.2   | 2   |
| N5322       | N5322   | 212.5 | 57.0  | 2000  | 254 | 32.29 0.15 | 28.7 2.2  | 4   |
| N5846       | N5846   | 226.0 | 1.8   | 1700  | 70  | 32.17 0.09 | 27.1 1.2  | 5   |
| Telescopium | N6868   | 301.6 | −48.5 | 2900  | 80  | 32.57 0.10 | 32.7 1.6  | 5   |
| N7331       | N7457   | 338.7 | 34.2  | 800   | 0   | 30.60 0.14 | 13.2 0.9  | 2   |